

國立中正大學九十五學年度學士班二年級轉學生招生考試試題

學系別：數學、地球與環境科學、物理、化學暨生物化學、  
資訊工程、機械工程、通訊工程、經濟學系

科目：微積分

第 1 節

第 / 頁，共 / 頁

Part I. No partial credit will be given in this part. Do not need to show all your work. Only the final result will be needed.

- (1) (7 points) Find the slope of the curve  $y^2 = x^2 + \sin(xy)$  at the point  $(0, 1)$ .
- (2) (7 points) The marginal cost of manufacturing  $x$  yards of a certain fabric is  $C'(x) = 3x^2 - 12x + 15$  (in dollars per yard). Find the increase in cost if the production level is raised from 10 yards to 20 yards.
- (3) (7 points) Find  $\lim_{x \rightarrow 0} \frac{1}{x^3} \int_0^x \frac{t^2}{t^4 + 1} dt$ .
- (4) (7 points) Find the area of the region bounded by the curve  $y = xe^{-x}$  and the  $x$ -axis from  $x = 0$  to  $x = 4$ .
- (5) (7 points) Find the volume of the solid generated by revolving about the  $x$ -axis the region bounded by the curve  $y = \frac{4}{(x^2 + 4)}$ , the  $x$ -axis, and the lines  $x = 0$  and  $x = 2$ .
- (6) (7 points) Find the direction in which  $f(x, y, z) = x^3 - xy^2 - z$  increases most rapidly at the point  $(1, 1, 0)$ .
- (7) (7 points) Find the local extreme values of the function  $f(x, y) = xy - x^2 - y^2 - 2x - 2y + 4$ .
- (8) (7 points) Find the volume of the tetrahedron  $D$  with vertices  $(0, 0, 0)$ ,  $(1, 1, 0)$ ,  $(0, 1, 0)$ , and  $(0, 1, 1)$ .
- (9) (7 points) Integrate  $f(x, y, z) = x - 3y^2 + z$  over the line segment  $C$  joining the point  $(1, 1, 0)$  to the point  $(1, 1, 1)$ .
- (10) (7 points) Calculate the outward flux of the field  $\mathbf{F}(x, y) = x\mathbf{i} + y^2\mathbf{j}$  across the square bounded by the lines  $x = -1$ ,  $x = 1$ ,  $y = -1$ , and  $y = 1$ .
- (11) (7 points) Find the circulation of the field  $\mathbf{F}(x, y, z) = (x^2 - y)\mathbf{i} + 4z\mathbf{j} + x^2\mathbf{k}$  around the curve  $C$  in which the plane  $z = 2$  meets the cone  $z = \sqrt{x^2 + y^2}$ , counterclockwise as viewed from above.

Part II. Partial credits will be given in this part. Show all your work to get credits.

- (12) (8 points) Show that the function  $f(x) = x^4 + 2x^2 - 2$  has exactly one zero on the interval  $[0, 1]$ .
- (13) (8 points) Show that  $\tan^{-1} x = x - \frac{x^3}{3} + \frac{x^5}{5} - \cdots + (-1)^n \frac{x^{2n+1}}{2n+1} + \cdots$ ,  $-1 \leq x \leq 1$ .
- (14) (7 points) Show that the function  $f(x, y) = \frac{2x^2y}{x^4 + y^2}$  has no limit as  $(x, y)$  approaches  $(0, 0)$ .