

Publication list of Dr. H.W. Chang (張晃暉)

SCI Referred Papers:

238. Ting-Kai Lin, Cheng-En Wu, **Huang-Wei Chang***, Chang-Ren Wang, Da-Hua Wei, Chi-Shun Tu, and P.Y. Chen, “The effect of deposition rate and temperature on the structure and ferroelectric properties of pulsed laser deposited $\text{Bi}_{0.95}\text{Dy}_{0.05}\text{FeO}_3$ thin films”, **Surf. Coat. Techno.** 479, 130557 (2024).
237. Y.J. Wong, **H.W. Chang***, W.C. Chang, “Coercivity enhancement with reduced Tb usage for NdFeB sintered magnets by grain boundary diffusion with multicomponent Tb-Ce-Al-Cu-Zn alloy powders”, **J. Magn. Magn. Mater.** 289, 171586 (2024).
236. Chih-Sheng Gao, Sheng-Rui Jian, Phuoc Huu Le, Wu-Ching Chou, Jenh-Yih Juang, **Huang-Wei Chang***, Chih-Ming Lin, “Effects of oxygen pressure on the microstructures and nanomechanical properties of samarium-doped BiFeO_3 thin films, **Micromachines** 14, 1879 (2023).
235. T.K. Lin, **H.W. Chang***, C.Y. Hung, C.R. Wang, D.H. Wei, C.S. Tu, and P.Y. Chen, “Structure transition and improved multiferroic properties of $\text{Bi}_{1-x}\text{Tb}_x\text{FeO}_3$ ($x = 0.00-0.15$) thin films”, **IEEE Trans. Magn.** 59, 4100605 (2023).
234. Y.J. Wong, P.H. Lin, **H.W. Chang***, W.C. Chang, “Comparison on the coercivity enhancement of hot-deformed NdFeB magnets by doping $\text{Ce}_{80}\text{M}_{20-x}\text{Zn}_x$ ($\text{M} = \text{Cu}, \text{Al}; x = 0-20$) alloy powders”, **IEEE Trans. Magn.** 59, 2101505 (2023).
233. **H.W. Chang***, C.F. Chang, W.M. Huang, Y.J. Wong, W.Y. Lin, W.C. Chang, C.C. Shaw, “Improvement of magnetic property for melt spun CeCo_5 ribbons due to Fe and C-doping”, **IEEE Trans. Magn.** 59, 2101305 (2023).
232. T.K. Lin, **H.W. Chang***, W.C. Chou, B.A. Chen, C.R. Wang, D.H. Wei, C.S. Tu, and P.Y. Chen, “Multiferroic properties of BiFeO_3 thin films with Ce substitution”, **J. Phys. Chem. Solids** 183, 111662 (2023).
231. D.G. Chubov, J. Cifre, **H.W. Chang**, S.U. Jen, V.V. Palacheva, A.M. Balagurov, I.S. Golovin, “Complex mechanisms of anelastic relaxation in ternary Fe-20(Al+Ga) alloys”, **Scr. Mater.** 235, 115622 (2023).
230. T.K. Lin, **H.W. Chang***, C.R. Wang, D.H. Wei, C.S. Tu, “Multiferroic and nanomechanical properties of $\text{Bi}_{1-x}\text{Y}_x\text{FeO}_3$ polycrystalline films ($x = 0.0-0.1$)”, **J. Mater. Sci.: Mater. Electron** 34: 772 (2023).

229. Y.J. Wong, B.S. Lin, **H.W. Chang***, W.C. Chang, C.H. Chiu, and C.C. Mo, “Enhancement of coercivity and thermal stability of Pr₈₅Al₁₅ doped NdFeB sintered magnets followed with grain boundary diffusion”, **J. Magn. Magn. Mater.** 571, 170562 (2023).
228. Y.J. Wong, **H.W. Chang***, Y.I. Lee, W.C. Chang, C.H. Chiu, C. C. Mo, “High-coercivity heavy-rare-earth-free NdFeB sintered magnets developed by doping Ce₈₅Al₁₅ and grain boundary diffusion with Pr₇₀Cu₁₅Al₁₅”, **AIP Adv.** 13, 025226 (2023).
227. Y.J. Wong, W.M. Huang, **H.W. Chang***, W.C. Chang, “Coercivity enhancement of hot-deformed NdFeB magnets by in-situ two-end-diffusion with R₇₀Cu₃₀ alloy powders (R = NdPr and Ce)”, **AIP Adv.** 13, 025202 (2023).
226. **H.W. Chang***, S.U. Jen, Y.H. Liao, Y.J. Wong, C.H. Chiu, W.C. Chang, “Directional growth effect on magneto-mechanical properties of Fe₈₁Al₁₉ alloy”, **AIP Adv.** 13, 025308 (2023).
225. T.K. Lin, **H.W. Chang***, C.Y. Hung, C.R. Wang, D.H. Wei, C.S. Tu, and P.Y. Chen, “Multiferroic properties of Bi_{0.95}H_{0.05}FeO₃ polycrystalline films (H = Gd, Tb, Dy, Ho and Er)”, **AIP Adv.** 13, 025033 (2023).
224. **H.W. Chang***, S.U. Jen, Y.H. Liao, F.C. Chang, W.C. Chang, C.H. Chiu, J. Cifre, D.G. Chubov, I.S. Golovin, “Magneto-mechanical and damping properties in Fe_{79.9}Al_{20-x}Tb_{0.1}Ga_x alloys”, **J. Alloys Compds.** 927, 166894 (2022).
223. I.S. Golovin, D.G. Chubov, A.D. Berezner, A.A. Shcherbakov, D.L. Schlagel, **H.W. Chang**, “Magnetostriction and damping of forced vibrations in Fe-Mo single and polycrystal alloys”, **J. Alloys Compds.** 925, 166786 (2022).
222. Y.J. Wong, **H.W. Chang**, Y.I. Lee, W.C. Chang, C.H. Chiu, and C.C. Mo, “Magnetic Properties of Ce₈₅Al₁₅ Doped NdFeB Sintered Magnet by Grain Boundary Diffusion of Tb₇₀Cu₃₀ Powders”, **IEEE Trans. Magn.** 58, 2102305 (2022).
221. **H.W. Chang***, Y.M. Guo, S.H. Liao, Y.H. Fang, W.C. Chang, and C. C. Shaw, “Phase modification and magnetic property improvement of melt spun LaCo₅-based ribbons”, **J. Mater. Sci.** 57, 8800 (2022).
220. T.K. Lin, **H.W. Chang***, C.R. Wang, D.H. Wei, C.S. Tu, and P.Y. Chen, “Structure transition and enhanced multiferroic properties of Dy-doped BiFeO₃ thin films”, **Surf. Coat. Techno.** 435, 128257 (2022).
219. **H.W. Chang***, S.U. Jen, Y.H. Liao, D.H. Tseng, H.Y. Hsieh, W.C. Chang, J. Cifre, D.G. Chubov, I.S. Golovin, “Enhancement of the magneto-mechanical

- properties in directional solidified Fe₈₀Al₂₀ alloys by doping Tb”, **J. Alloys Compds.** 893, 162262 (2022).
218. **H.W. Chang***, S.U. Jen, Y.Y. Shen, D.H. Tseng, “Magnetostrictive properties of sputter-prepared Fe₇₁Co₁₀Ga₁₉ films on Si(100) substrates”, **J. Alloys Compds.** 892, 162186 (2022).
- 217 **H.W. Chang***, F.T. Yuan, D.Y. Lin, D.H. Tseng, W.C. Chang, Y.S. Chen, J.G. Lin, “Large stress-induced anisotropy in soft magnetic films for synthetic spin valves”, **Appl. Phys. Lett.** 119, 242402 (2021).
216. Ting-Kai Lin, **Huang-Wei Chang***, Wan-Chi Chou, Chang-Ren Wang, Da-Hua Wei, Chi-Shun Tu, and Pin-Yi Chen, “Multiferroic and nanomechanical properties of Bi_{1-x}Gd_xFeO₃ polycrystalline films ($x = 0.00-0.15$)”, **Coatings** 11, 900 (2021).
215. Da-Hua Wei, Tei-Kai Lin, Yuan-Chang Liang, **Huang-Wei Chang***, “Formation and application of core-shell of FePt-Au magnetic-plasmonic nanoparticles”, **Frontiers in Chemistry** 9, 653718 (2021).
214. **H.W. Chang**, G.T. Lin, Y.J. Wong, W.M. Huang, and W.C. Chang, “Coercivity enhancement of hot-deformed NdFeB magnet by doping R₈₀Al₂₀ (R = La, Ce, Dy, Tb) alloy powders”, **AIP Advances** 11, 025001 (2021).
213. Y.J. Wong, W.C. Hsu, **H.W. Chang**, Y.I. Lee, W.C. Chang, C.H. Chiu, and C.C. Mo, “Comparison on the coercivity enhancement of the sintered NdFeB magnets by grain boundary diffusion with Tb₇₀Cu₃₀ powders prepared by different milling methods”, **AIP Advances** 11, 025101 (2021).
212. **H.W. Chang***, S.U. Jen, D.H. Tseng, Y.H. Liao, H.Y. Hsieh, C.R. Wang, W.C. Chang, “Comparison on the ΔE effect in Fe₈₇Ga₁₃ alloy by doping Dy and Tb”, **Mater. Sci. Eng. B** 262, 114747 (2020).
211. Y.J. Wong, **H.W. Chang**, Y.I. Lee, W.C. Chang*, C.H. Chiu, and C. C. Mo, “Coercivity enhancement for thicker sintered NdFeB magnets by grain boundary diffusion with low-melting Tb_{75-x}Ce_xCu₂₅ ($x=0-45$) alloys” **J. Magn. Magn. Mater.** 515, 167287 (2020).
210. T.K. Lin, **H.W. Chang***, C.R. Wang, D.H. Wei, C.S. Tu, “Multiferroic and nanomechanical properties of Bi_{1-x}R_xFeO₃ polycrystalline films (R = La, Pr, Sm, and Ho; $x = 0-0.15$)”, **J. Alloys Compds.** 846, 156080 (2020).
209. **H.W. Chang***, S.U. Jen, D.H. Tseng, Y.H. Liao, H.Y. Hsieh, W.C. Chang, “Magneto-mechanical properties of Fe_{100-x}Al_x alloys ($x = 14-27$) prepared by directional solidification”, **J. Alloys Compds.** 844, 156086 (2020).

208. T.K. Lin, **H.W. Chang***, C.R. Wang, D.H. Wei, C.S. Tu, W.C. Chang, “Multiferroic properties of $\text{Bi}_{0.95}\text{R}_{0.05}\text{FeO}_3$ polycrystalline films on the glass substrates (R = La, Pr, Nd, Sm and Ho)”, **Mater. Lett.** 276, 128216 (2020).
207. **H.W. Chang***, Y.H. Chien, C.Y. Shen, F.T. Yuan, Y.L. Lai, C.R. Wang, Lance Horng, “Magnetic properties and structure of CoFe/MnN films with Ta layers”, **Surf. Coat. Techno.** 398, 126098 (2020).
206. **H.W. Chang***, F.T. Yuan, C.Y. Shen, M.F. Huang, C.Y. Hung, C.R. Wang, and W.C. Chang, “High energy product $\text{Fe}_x\text{Pt}_{100-x}$ thin films (x = 60-66) prepared by rapid thermal annealing”, **Surf. Coat. Techno.** 397, 125978 (2020).
205. T.K. Lin, **H.W. Chang***, B.A. Chen, C.R. Wang, D.H. Wei, C.S. Tu, “Effect of Pr substitution on the structure, nanomechanical and multiferroic characterizations of $\text{Bi}_{1-x}\text{Pr}_x\text{FeO}_3$ polycrystalline films”, **Surf. Coat. Techno.** 393, 125728 (2020).
204. **H.W. Chang***, Y.H. Chien, F.T. Yuan, Y.L. Lai, C.R. Wang, Lance Horng, “Correlation between phase composition and exchange bias in CoFe/MnN and MnN/CoFe polycrystalline films”, **AIP Advances** 10, 025035 (2020).
203. Yeong-Maw Hwang, C.T. Pan, Ying-Xu Lu, Sheng-Rui Jian*, **Huang-Wei Chang***, Jenh-Yih Juang, “Influence of post-annealing on the structural and nanomechanical properties of Co thin films”, **Micromachines** 11, 180 (2020).
202. **H.W. Chang***, Y.M. Guo, S.H. Liao, W.C. Chang, C. C. Shaw, “Magnetic property improvement of melt spun LaCo_5 -based nanocomposites with Y, Fe, and C substitutions”, **J. Alloys Compds.** 821, 153271 (2020).
201. **H.W. Chang***, S.U. Jen, D.H. Tseng, C.R. Wang, W.C. Cheng, W.C. Chang, “Improvement of magneto-mechanical properties in quenched Fe-rich $\text{Fe}_{87}\text{Ga}_{13}$ alloys”, **J. Magn. Magn. Mater.** 498, 166097 (2020).
200. **H.W. Chang***, H.Y. Wang, Y.I. Lee, Y.M. Guo, W.C. Chang, C. C. Shaw, “Phase modification and magnetic energy product enhancement of PrCo_5 -based nanomaterials due to carbon addition”, **J. Phys. Chem. Solids** 136, 109197 (2020).
199. Y.J. Wong, **H.W. Chang**, Y.I. Lee, W.C. Chang, C.H. Chiu and C. C. Mo, “Comparison on the coercivity enhancement of sintered NdFeB magnets by grain boundary diffusion with low-melting $(\text{Tb}, \text{R})_{75}\text{Cu}_{25}$ alloys (R = Y, La, and Ce)”, **AIP Advances** 9, 125238 (2019).
198. Jin-Yan Chiou, **H.W. Chang**, Chong-Chi Chi, Ching-Hung Hsiao, Hao Ouyang, “ L_{10} FePt films with optimal (001) texture on amorphous SiO_2/Si substrates for high density perpendicular magnetic recording media”, **ACS Appl. Nano Mater.**

2, 5663 (2019).

197. **H.W. Chang***, S.U. Jen, D.H. Tseng, R.F. Yung, C.R. Wang, W.C. Cheng, W.C. Chang, “Significant enhancement of ΔE effect in $\text{Fe}_{87}\text{Ga}_{13}$ alloy by doping 0.2 at% Dy”, **J. Alloys Compds.** 810, 151873 (2019).

196. **H.W. Chang***, F.T. Yuan, P.Y. Yeh, Y.C. Chen, Y.L. Lai, P.H. Pan, C.R. Wang, Lance Horng, and W.C. Chang, “Comparison on the structure and exchange bias in Co/MnPt and MnPt/Co polycrystalline films on glass substrates”, **AIP Advances** 9, 035330 (2019).

195. T.K. Lin, C.Y. Shen, C.C. Kao, C.F. Chang, **H.W. Chang***, C.R. Wang, and C.S. Tu, “Structural evolution, ferroelectric, and nanomechanical properties of $\text{Bi}_{1-x}\text{Sm}_x\text{FeO}_3$ films ($x = 0.05-0.16$) on glass substrates”, **J. Alloy. Compds.** 787, 397 (2019).

194. Y.I. Lee, Y.J. Wong, **H.W. Chang**, W.C. Chang, “Coercivity enhancement of hot-deformed NdFeB magnets by doping $\text{R}_{80}\text{Ga}_{20}$ (R= Pr, Dy, Tb) alloys”, **J. Magn. Mater.** 478, 43 (2019).

193. **H.W. Chang***, H.Y. Wang, Y.I. Lee, C.W. Shih, W.C. Chang, C.C. Yang, and C. C. Shaw, “Hard magnetic property improvement of melt spun PrCo_5 ribbons by Fe and C doping”, **IEEE Trans. Magn.** 54, 2101605 (2018).

192. C.Y. Shen, P.Y. Yeh, F.T. Yuan, **H.W. Chang***, M.Y. Lee, D.Y. Lin, C.R. Wang, “Improved perpendicular magnetic properties of pulsed-dc-sputtered FePt thin films”, **Surf. Coat. Tech.** 350, 795 (2018).

191. **H.W. Chang***, C. Y. Shen, F.T. Yuan, P.H. Pan, Y.H. Chien, C.R. Wang, Lance Horng, and S.R. Jian, “Exchange bias in Co/MnPt polycrystalline films on Si(100)/ SiO_2 substrates with Ta underlayer”, **Thin Solids Films** 660, 834 (2018).

190. Chi-Shun Tu, Cheng-Sao Chen, Pin-Yi Chen, Yi Lin Hsieh, R.R. Chien, V. Hugo Schmidt, Kuei-Chih Feng, **Huang-Wei Chang**, “Composition and thermal structural evolution in Pr modified bismuth ferrite near the morphotropic phase boundary”, **J. Alloy. Compds.** 768, 903 (2018).

189. Y.I. Lee, B.S. Liao, Y.J. Wong, **H.W. Chang**, W.C. Chang and C.C. Shaw, “Overview of the ways for enhancing the coercivity of hot deformed $\text{Nd}_2\text{Fe}_{14}\text{B}$ -type magnets”, **IEEE Trans. Magn.** 54, 2100605 (2018).

188. **H.W. Chang***, W.C. Ou, Y.I. Lee, C.W. Shih, W.C. Chang, C.C. Yang, and C. C. Shaw, “Magnetic properties and microstructure of melt spun $\text{YCo}_{5-x}\text{M}_x$ ribbons (M = C and Sn; $x = 0-0.3$)”, **J. Alloy. Compds.** 747, 236 (2018).

187. Y.J. Chiu, C.Y. Shen, **H.W. Chang**, S.R. Jian, “Characteristics of Iron-Palladium alloy thin films deposited by magnetron sputtering”, **Results in Phys.** 9, 17 (2018).
186. **H.W. Chang**, Y.I. Lee, P.H. Liao, and W.C. Chang, “Significant coercivity enhancement of hot deformed NdFeB magnets by doping Ce-containing (PrNdCe)₇₀Cu₃₀ alloys powders”, **Scr. Mater.** 146, 222 (2018).
185. Y.I. Lee, **H.W. Chang**, G.Y. Huang, C.W. Shih and W.C. Chang, “Comparison on the coercivity enhancement of hot deformed Nd₂Fe₁₄B-type magnets by doping R₇₀Cu₃₀ (R=Nd, Dy and Tb) alloy powders”, **IEEE Trans. Magn.** 53, 2100704 (2017).
184. **H.W. Chang***, W.C. Ou, Y.I. Lee, C.W. Shih, W.C. Chang, C.C. Yang, and C. C. Shaw, “Magnetic property enhancement of melt spun YCo₅ ribbons by Fe and C doping”, **IEEE Trans. Magn.** 53, 2100504 (2017).
183. **H.W. Chang***, C.Y. Shen, F.T. Yuan, Y.C. Lo, S.Y. Lin, C.F. Chang, C.R. Wang, C.S. Tu, S.U. Jen, and W.C. Chang, “Effects of Pt buffer layer and Sr content on multiferroic (Bi, Sr)FeO₃ polycrystalline thin films on glass substrates”, **IEEE Trans. Magn.** 53, 2501704 (2017).
182. Y.I. Lee, G.Y. Huang, C.W. Shih, W.C. Chang, **H.W. Chang**, and J.S. You, “Coercivity enhancement in hot deformed Nd₂Fe₁₄B-type magnets by doping low-melting RCu alloys (R = Nd, Dy, Nd plus Dy)”, **J. Magn. Magn. Mater.** 439, 1 (2017).
181. Venkata Ramana Mudinepalli, Po-Chun Chang, Chuan-Che Hsu, Fang-Yuh Lo, **Huang-Wei Chang**, Wen-Chin Lin, “Electric-field effects on magnetism of Fe/NCZF/PZT composite thin film”, **J. Magn. Magn. Mater.** 432, 90 (2017).
180. Yen I Lee, Guan Yen Huang, Shuo Ting Chang, Chih Wei Shih, Wen Cheng Chang, **Huang Wei Chang**, and Yen Ju Chen, “Optimization of the Magnetic Properties of Hot Deformed Nd-Fe-B Magnets”, **IEEE Magn. Lett.** 8, 5500204 (2017).
179. **H.W. Chang***, F.T. Yuan, M.T. Chiang, M.C. Chan, S.C. Liou, D.H. Wei, S.W. Liao, P.H. Pan, C.R. Wang, and Lance Horng, “Effect of Ta underlayer on magnetic properties of FeMn/NiFe films”, **Surf. Coat. Tech.** 303, 148 (2016).
178. C.Y. Shen, **H.W. Chang***, F.T. Yuan, C.C. Su, Y.W. Wang, C.L. Fan, C.R. Wang, C.W. Shih, and W.C. Chang, “Structure and magnetic properties of 300-nm-thick FePt films with Hf underlayer”, **J. Phys. Chem. Solids** 98, 143 (2016).

177. Y.J. Chiu, C.Y. Shen, S.R. Jian, **H.W. Chang***, J.Y. Juang, Y.Y. Liao, C.L. Fan, “Nanoindentation study of FePt thin films deposited by radio frequency magnetron sputtering”, **Nanosci. Nanotech. Lett.** 8, 260 (2016).
176. **H.W. Chang***, F.T. Yuan, K.T. Tu, S.Y. Lin, C.R. Wang, and C.S. Tu, “Multiferroic properties of $\text{Bi}_{1-x}\text{A}_x\text{FeO}_3$ polycrystalline films on glass substrates ($\text{A} = \text{Ca, Sr, Ba; } x = 0.05, 0.1, 0.15$)”, **J. Alloys Compds.** 683, 427 (2016).
175. **H.W. Chang**, Y.H. Lin, C.W. Shih, M.C. Liao, Y.I. Lee, W.C. Chang, C.C. Yang, and C.C. Shaw, “Magnetic properties improvement of melt spun $\text{Co}_{86.5}\text{Hf}_{11.5}\text{B}_2$ nanocomposites with refractory element substitution”, **J. Magn. Magn. Mater.** 401, 1139 (2016).
174. **H.W. Chang***, C.Y. Shen, F.T. Yuan, S.H. Tien, S.Y. Lin, W.A. Chen, C.R. Wang, C.S. Tu, and S.U. Jen, “(110)-textured Ca-doped BiFeO_3 film on refined Pt(111) electrode layer on glass substrate at reduced temperature”, **J. Magn. Magn. Mater.** 401, 673 (2016).
173. C.W. Shih, J.H. Yuan, S.C. Ma, **H.W. Chang**, and W.C. Chang, “Martensitic transitions and magnetocaloric properties in $\text{Mn}_{49-x}\text{Co}_x\text{Ni}_{41}\text{Sn}_{10}$ ($x = 0-4$) ribbons”, **IEEE Trans. Magn.** 51, 2504404 (2015).
172. **H.W. Chang***, F.T. Yuan, W.C. Chen, D.H. Wei, M.C. Lin, C.C. Su, C.R. Wang, C.W. Shih, W.C. Chang, Y.D. Yao, “Hard magnetic property improvement of sputter-prepared FePd films on glass substrates by underlayering with refractory Nb, Mo, and W elements”, **IEEE Trans. Magn.** 51, 2012904 (2015).
171. **H.W. Chang***, C.Y. Shen, F.T. Yuan, K.T. Tu, Y.C. Lo, S.Y. Tu, C.R. Wang, C.S. Tu, H. Ouyang, W.C. Chang, and S.U. Jen, “Multiferroic properties of (Bi, Ca)FeO₃ films on glass substrates”, **Appl. Surf. Sci.** 355, 121 (2015).
170. C.H. Hsiao, Y.D. Yao, S.C. Lo, **H.W. Chang***, and Chuenhou (Hao) Ouyang, “Domain wall pinning on strain relaxation defects (stacking faults) in nanoscale FePd(001)/MgO thin films”, **Appl. Phys. Lett.** 107, 142407 (2015).
169. S.R. Jian, **H.W. Chang***, Y.W. Wang, H.H. Yeh, and J.Y. Juang, “Effects of post-annealing on the structural and nanomechanical properties of sputter-deposited FePd thin films”, **J. Alloys Compds.** 648, 980 (2015).
168. A.S. Kamzina, L.S. Kamzina, **H.W. Chang**, Y.C. Yu, and S.Y. Tu, “Investigation of the Properties of BiFeO_3 /Intermediate Layer Structures Fabricated by Magnetron Sputtering”, **Phys. Solid State** 57, 1764 (2015).
167. Y.I. Lee, C.W. Shih, W.C. Chang, **H.W. Chang**, and Y.J. Chen, “Inhomogeneity

on texture, microstructure, and magnetic properties of hot deformed Nd₂Fe₁₄B-typed magnet”, **International J. Mod. Phys. B** 29, 1540007 (2015).

166. S.C. Ma, C.W. Shih, J. Liu, J.H. Yuan, S.Y. Lee, Y.I. Lee, **H.W. Chang**, W.C. Chang, “Wheel speed-dependent martensitic transformation and magnetocaloric effect in Ni-Co-Mn-Sn ferromagnetic shape memory alloy ribbons”, **Acta Mater.** 90, 292 (2015).

165. C.W. Shih, Y.Y. Lin, **H.W. Chang**, Y.I. Lee and W.C. Chang, “Effect of the external field on the soft magnetic properties and microstructure of directly cast Fe₇₅P_{8.7}B₅C₇Si_{4.3} nanocrystalline sheets”, **J. Appl. Phys.** 117, 17B736 (2015).

164. **H.W. Chang**, M.C. Liao, C.W. Shih, W.C. Chang, C. C. Shaw, “Optimization of permanent magnetic property in melt spun Co_{82-x}Hf_{12+x}B₆ (x=0-4) nanocomposites”, **J. Appl. Phys.** 117, 17A717 (2015).

163. **H.W. Chang***, F.T. Yuan, K.T. Tu, Y.C. Lo, S.Y. Tu, C.R. Wang, A.B. Yang, C.S. Tu, S.U. Jen, and W.C. Chang, “Effect of Ba substitution on the multiferroic properties of BiFeO₃ films on glass substrates”, **J. Appl. Phys.** 117, 17C734 (2015).

162. **H.W. Chang***, F.T. Yuan, Y.C. Yu, S.Y. Tu, P.C. Lin, C.R. Wang, A.B. Yang, C.S. Tu, and S.U. Jen, “Formation of BiFeO₃(110) films on ferromagnetic CoPt(111) electrode layer on glass substrates at reduced temperatures”, **J. Appl. Phys.** 117, 17C721 (2015).

161. **H.W. Chang***, F.T. Yuan, P.H. Chen, Y.C. Yu, P.C. Lin, C.R. Wang, and S.U. Jen, “Texture control of multiferroic BiFeO₃ polycrystalline films on glass substrates with various metal electrode underlayers”, **J. Appl. Phys.** 117, 17C713 (2015).

160. F.T. Yuan, **H.W. Chang***, P.Y. Lee, C.Y. Chang, C.C. Chi, and H. Ouyang, “Perpendicular magnetic anisotropy of non-epitaxial hexagonal Co₅₀Pt₅₀ thin films prepared at room temperature”, **J. Alloys Compds.** 628, 263 (2015).

159. **H.W. Chang***, F.T. Yuan, W.C. Chen, D.H. Wei, M.C. Lin, C.R. Wang, C.W. Shih and W.C. Chang, “Magnetic property improvement of sputter-prepared FePd films on glass substrates with W underlayer”, **J. Alloys Compds.** 622, 1013 (2015).

158. Tzu-Yuan Li, S.H. Chiou, **H.W. Chang**, S. C. Lo, C.C. Hsieh, W.C. Chang, J. van Lierop, C.H. Hsiao, Y.W. Hsu, H. Ouyang, “Origins of the significant improvement in nano-crystalline Samarium-Cobalt's magnetic properties when doping with Niobium”, **J. Alloys Compds.** 622, 262 (2015).

157. **H.W. Chang**, M.C. Liao, C.W. Shih, W.C. Chang, C.C. Yang, C.H. Hsiao, and H. Ouyang, “Hard magnetic property enhancement of Co₇Hf-base ribbons by boron

- doping”, **Appl. Phys. Lett.** 105, 192404 (2014).
156. C.Y. Shen, **H.W. Chang***, F.T. Yuan, M.C. Lin, C.C. Su, H.H. Yeh, M.F. Huang, C.R. Wang, C.W. Shih, and W.C. Chang, “Energy product enhancement of FePt films by underlayering with Ti, Zr, and Hf”, **Appl. Surf. Sci.** 313, 755 (2014).
155. C.Y. Shen, F.T. Yuan, **H.W. Chang***, M.C. Lin, C.C. Su, S.T. Chang, C.R. Wang, J.K. Mei, S.N. Hsiao, C.C. Chen, C.W. Shih, and W.C. Chang, “Effect of Hf underlayer on structure and magnetic properties of rapid thermal annealed FePt thin films”, **J. Magn. Magn. Mater.** 358, 153 (2014).
154. **H.W. Chang***, F.T. Yuan, S.H. Tien, K.T. Tu, C.R. Wang, and S.U. Jen, “Formation of perovskite BiFeO₃(001) films on refined Pt(111) electrode layer with reduced thickness on glass substrates”, **J. Appl. Phys.** 115, 17D912 (2014).
153. Chuan-Fa Huang, An-Cheng Sun, **H.W. Chang***, F.T. Yuan, S.T. Chang, Jui-Kuo Mei, S. N. Hsiao, H. Y. Lee, Hsi-Chuan Lu, Sea-Fue Wang, and W.C. Chang, “Perpendicular magnetic anisotropic Pr-Fe-B thin films on glass substrates”, **J. Appl. Phys.** 115, 17A726 (2014).
152. **H.W. Chang**, Y.H. Lin, C.W. Shih, and W.C. Chang, “A study on the magnetic properties of melt spun Co-Hf-Zr-B nanocomposite ribbons”, **J. Appl. Phys.** 115, 17A724 (2014).
151. C.W. Shih, X.G. Zhao, **H.W. Chang**, Y.I. Lee, S.C. Ma and W.C. Chang, “Exchange bias in melt spun Fe_{52-x}Mn_{23+x}Ga₂₅ (x = 0-3) ribbons”, **J. Appl. Phys.** 115, 17D709 (2014).
150. **H.W. Chang**, L.C. Chuang, C.W. Shih, W.C. Chang, and D.S. Xue, “Optimization of high frequency characteristics in Co-Ta thin films”, **J. Appl. Phys.** 115, 17A312 (2014).
149. Shang-Jui Chiu, Li-Chun Huang, Shih-Nan Hsiao, **Huang-Wei Chang**, Ge-Ping Yu, Hsin-Yi Lee, “Exchange bias and crystal structure of epitaxial (111) FePt/BiFeO₃ sputtered thin films”, **J. Appl. Phys.** 115, 17D903 (2014).
148. C.W. Shih, X.G. Zhao, **H.W. Chang**, Y.C. Tseng, and W.C. Chang, “Magnetocaloric properties of melt-spun Fe-Ni-Mn-Ga ribbons”, **IEEE Trans. Magn.** 50, 2501004 (2014).
147. **H.W. Chang***, F.T. Yuan, S.H. Tien, C.Y. Shen, C.R. Wang, and S.U. Jen, “Effect of substrates on the structure and ferroelectric properties of multiferroic BiFeO₃ films”, **IEEE Trans. Magn.** 50, 2500604 (2014).
146. **H.W. Chang**, J.Y. Gan, C.W. Shih, C.C. Hsieh, W.C. Chang and C.C. Shaw,

“Magnetic properties and microstructure of directly quenched R-Fe-Ti-Zr-Cr-B-C bulk magnets (R=Nd, Pr, and Mischmetals)”, **IEEE Trans. Magn.** 50, 2100904 (2014).

145. **H.W. Chang***, F.T. Yuan, P.H. Chen, S.H. Tien, Y.C. Yu, C.R. Wang, C.S. Tu, and S.U. Jen, “Photovoltaic property of multiferroic BiFeO₃ films with different textures on glass substrates”, **IEEE Trans. Magn.** 50, 2500104 (2014).

144. C.Y. Shen, **H.W. Chang***, F.T. Yuan, M.C. Lin, C.C. Su, C.R. Wang, J.K. Mei, C.C. Chen, and W.C. Chang, “Magnetic property enhancement of FePt films by Zr underlayering”, **IEEE Trans. Magn.** 50, 2101104 (2014).

143. Chuan-Fa Huang, An-Cheng Sun, **H.W. Chang***, F.T. Yuan, S.T. Chang, and W.C. Chang, “Enhanced perpendicular magnetic anisotropy of Pr-Fe-B films with Ta underlayer”, **J. Alloys Compds.** 584, 185 (2014).

142. **H.W. Chang***, F.T. Yuan, C.W. Yuan, C.H. Yu, C.R. Wang, and W.C. Chang, “Effect of magnetic field on the structure and magnetic properties of pulse-laser-deposited FePt films”, **J. Alloys Compds.** 584, 148 (2014).

141. C. Wang, W.C. Lin, C.C. Hsieh, W.C. Chang, **H.W. Chang**, and A.C. Sun, “Effects of magnetic solidification on rod-shaped Nd-Fe-Ti-Zr-Cr-C-B magnets with various diameters”, **Mater. Technol.** 28, 290 (2013).

140. Chih-Chieh Hsieh, Shih-Teng Huang, Jin-Sheng Guo, Chih-Wei Shih, Wen-Cheng Chang, **Huang-Wei Chang**, Chun-Chung Shaw, “Effect of carbon additive on the TbCu₇-type melt spun Sm(Co, M)₇ (M=Ti, Zr, Hf, V and Ge) ribbons”, **J. Korean Phys. Soc.** 63, 401 (2013).

139. **H.W. Chang**, T.H. Hsiao, C.C. Hsieh, C.W. Shih, W.C. Chang, and C. C. Shaw, “A study on the phase evolution and magnetic properties of Nd_{9.5-1.5x}Fe_{bal.}Ti_{2.5}Zr_{0.5}B_{15+2x} (x=0-4) bulk magnets”, **IEEE Trans. Magn.** 49, 3364 (2013).

138. **H.W. Chang**, C.F. Tsai, C.C. Hsieh, C.W. Shih, W.C. Chang, C.C. Shaw, “Magnetic properties enhancement of melt spun CoZrB ribbons by elemental substitutions”, **J. Magn. Mater.** 346, 74 (2013).

137. Sheng-Rui Jian, **Huang-Wei Chang**, Yu-Chin Tseng, Ping-Han Chen, and Jenh-Yih Juang, “Structural and nanomechanical properties of BiFeO₃ thin films deposited by radio-frequency magnetron sputtering”, **Nanoscale Research Letters** 8, 297 (2013).

136. **H.W. Chang***, F.T. Yuan, Y.C. Yu, P.H. Chen, C.R. Wang, C.S. Tu, and S.U.

Jen, "Photovoltaic property of sputtered BiFeO₃ films", **J. Alloys Compds.** 574, 402 (2013).

135. C.W. Shih, X.G. Zhao, **H.W. Chang**, W.C. Chang, and Z.D. Zhang, "The phase evaluation, magnetic and exchange bias properties in Fe₅₀Mn_{24+x}Ga_{26-x} (x = 0-3) melt-spun ribbons", **J. Alloys Compds.** 570, 14 (2013).

134. **H.W. Chang***, F.T. Yuan, S.H. Tien, P.Y. Li, C.R. Wang, C.S. Tu, and S.U. Jen, "High quality multiferroic BiFeO₃ films prepared by pulsed laser deposition on glass substrates at reduced temperatures", **J. Appl. Phys.** 113, 17D917 (2013).

133. **Huang-Wei Chang**, Jyh-Shen Tsay, Shin-Chen Chang, Po-Ching Chuang, and Yeong-Der Yao, "Exchange bias of ultrathin CoO/Co bilayers on Ge(111) and Ge(100) surfaces", **J. Alloys Compds.** 562, 69 (2013).

132. **H.W. Chang**, T.H. Hsiao, Y T Cheng, C.C. Hsieh, C.W. Shih, and W.C. Chang, "Comparison on the magnetic properties, phase evolution and microstructure of directly quenched Pr-Fe-Ti-B-based ribbons and rods", **J. Alloys Compds.** 551, 694 (2013).

131. Z. Liu, C.C. Hsieh, R.J. Chen, W.C. Lin, **H.W. Chang**, W.C. Chang, A.R. Yan, "Magnetic properties, phase and microstructure of direct cast Nd_{9.5}Fe_{bal}.Co₁₀MB₁₅ rod magnets", **J. Magn. Magn. Mater.** 326, 108 (2013).

130. **H.W. Chang***, W.C. Lin, C.C. Hsieh, C.W. Shih, and W.C. Chang, "Magnetic properties, phase evolution, and microstructure of directly cast Nd-Fe-Nb-Sn-B bulk magnets", **J. Alloys Compds.** 545, 231 (2012).

129. S.U. Jen, S.P. Wang, W.C. Chang, and **H.W. Chang**, "Magnetostriction and ΔE effect of melt-spun (Fe_{81-x}Co_xGa₁₉)₈₀B₂₀ ribbons", **J. Appl. Phys.** 112, 053904 (2012).

128. **H.W. Chang***, F.T. Yuan, C.W. Shih, C.S. Ku, P.H. Chen, C.R. Wang, W.C. Chang, S.U. Jen, and H.Y. Lee, "Sputter-prepared (001) BiFeO₃ thin films with ferromagnetic L₁₀-FePt(001) electrode on glass substrates", **Nanoscale Research Letters** 7, 435 (2012).

127. **H.W. Chang***, Y.H. Huang, C.C. Hsieh, C.W. Shih, W.C. Chang, and D.S. Xue, "Magnetic properties and high frequency characteristics of obliquely sputtered Co-M (M = V and Nb) thin films", **J. Alloys Compds.** 539, 276 (2012).

126. Z. Liu, W.C. Lin, C.W. Shih, C.C. Hsieh, **H.W. Chang**, W.C. Chang, and A.R. Yan, "Effect of Co addition on the microstructure and magnetic properties of Nd_{9.5}Fe_{bal}.Co_xNb_{2.5}Zr_{0.5}B₁₅ (x = 0, 10, 20) bulk magnets", **J. Alloys Compds.** 538, 28

(2012).

125. **H.W. Chang**, Y.T. Cheng, C.C. Hsieh, and W.C. Chang*, “Improvement of magnetic properties and size of directly cast Nd–Fe–B bulk magnets by Ti/Zr cosubstitutions” **Mater. Technol.** 27, 98 (2012).
124. C.C. Hsieh, C.W. Shih, Z. Liu, W.C. Chang, **H.W. Chang**, and A.C. Sun, “Magnetic properties and crystal structure of melt spun $\text{Sm}(\text{Co}, \text{M})_7$ (M=Al and Si) ribbons”, **J. Appl. Phys.** 111, 07E306 (2012).
123. **H.W. Chang**, Y.H. Huang, C.C. Hsieh, C.W. Shih, W.C. Chang, and D.S. Xue, “Study on the soft magnetic properties and high frequency characteristics of Co-M (M=Ti, Zr, and Hf) thin films”, **J. Appl. Phys.** 111, 07A333 (2012).
122. **H.W. Chang***, F.T. Yuan, C.W. Shih, W.L. Li, P.H. Chen, C.R. Wang, W.C. Chang, and S.U. Jen, “Exchange bias in sputtered FM/BiFeO₃ thin films (FM=Fe and Co)”, **J. Appl. Phys.** 111, 07B105 (2012).
121. **H.W. Chang***, F.T. Yuan, C.W. Shih, C.R. Wang, W.C. Chang, and S.U. Jen, “Sputter-prepared BiFeO₃(001) films on L1₀ FePt(001)/glass substrates”, **J. Appl. Phys.** 111, 07D918 (2012).
120. **H.W. Chang***, C.S. Guo, C.C. Hsieh, and W.C. Chang, “Magnetic properties, phase evolution, and microstructure of melt spun $\text{Sm}(\text{Co}_{1-z}\text{Zr}_z)_x\text{C}_y$ (x = 5-9; y = 0-0.15; z = 0.03 and 0.06) ribbons ” **J. Magn. Magn. Mater.** 324, 1006 (2012).
119. **H.W. Chang***, C.S. Guo, C.C. Hsieh, and W.C. Chang, “Magnetic properties, phase evolution, and microstructure of melt spun $\text{Sm}(\text{Co}_{0.97}\text{Ti}_{0.03})_x\text{C}_y$ (x=5-9; y=0-0.1) ribbons ” **J. Phys. Chem. Solids** 73, 13 (2012).
118. C. Wang, Y.S. Lai, C.C. Hsieh, W.C. Chang, **H.W. Chang**, and A.C. Sun, “Bulk nanocrystalline Nd-Fe-B magnets solidified in magnetic field with various surface Area-to-Volume Ratios”, **IEEE Trans. Magn.** 47, 3263 (2011).
117. C.C. Hsieh, **H.W. Chang**, A.C. Sun, W.C. Chang, and P. Guo, “Magnetic properties and crystal structure of melt spun $\text{SmCo}_{7-x}\text{Sn}_x$ (x=0-0.6) ribbons”, **IEEE Trans. Magn.** 47, 3332 (2011).
116. **H.W. Chang**, M.H. Wu, C.C. Hsieh, W.C. Chang, and D.S. Xue, “High anisotropy field in CoZr thin films”, **IEEE Trans. Magn.** 47, 3924 (2011).
115. C. Chuang, W.Y. Chang, W.H. Chen, J.S. Tsay , W.B. Su, **H.W. Chang**, Y.D. Yao, “Thickness dependent reactivity and coercivity for ultrathin Co/Si(111) films” **Thin Solid Films** 519, 8371 (2011).
114. C Wang, Y. S. Lai, C. C. Hsieh, W.C. Chang, **H.W. Chang**, and A. C. Sun,

“Magnetic properties and microstructure of bulk Nd-Fe-B magnets solidified in magnetic field” , **J. Appl. Phys.** **109**, 07A715 (2011).

113. Y.Y. Chen, C.C. Hsieh, S.C. Lo, W.C. Chang, **H.W. Chang**, and H. Ouyang, “The effect of doping element Zr on anisotropy and microstructure of $\text{SmCo}_{7-x}\text{Zr}_x$ ” , **J. Appl. Phys.** **109**, 07A748 (2011).

112. Y.K. Fang, H.C. Chen, C.C. Hsieh, **H.W. Chang**, X.G. Zhao, W.C. Chang, and W. Li, “Structures and magnetocaloric effects of $\text{Gd}_{65-x}\text{RE}_x\text{Fe}_{20}\text{Al}_{15}$ (RE=Tb, Dy, Ho, Er) ribbons”, **J. Appl. Phys.** **109**, 07A933 (2011).

111. C.C. Hsieh, **H.W. Chang**, X.G. Zhao, H. Ouyang, A.C. Sun, and W.C. Chang, “Effect of Ge on magnetic properties and crystal structure of melt spun $\text{SmCo}_{7-x}\text{Ge}_x$ ribbons”, **J. Appl. Phys.** **109**, 07A730 (2011).

110. **H.W. Chang***, C.H. Chen, C.C. Hsieh, and W.C. Chang, “Investigation of magnetic properties of melt spun Mischmetals-Fe-Ti-B nanocomposite ribbons”, **J. Nanosci. Nanotechnol.** **11**, 2756 (2011).

109. C.C. Hsieh, T.H. Lin, **H.W. Chang**, C.W. Chang, W.C. Chang, and C.C. Yang, “Effect of dopants on the soft magnetic properties and high frequency characteristics of FeCoBM thin films (M= Ti, Nb, Hf, and Ta)” **J. Nanosci. Nanotechnol.** **11**, 2752 (2011).

108. **H.W. Chang***, C.S. Guo, C.C. Hsieh, Z.H. Guo, and W.C. Chang, “Magnetic properties, phase evolution, and microstructure of melt spun Hf-substituted $\text{Sm}(\text{Co}_{0.97}\text{Hf}_{0.03})_x\text{C}_y$ (x=5-9; y=0-0.1) nanocomposites ” **J. Nanosci. Nanotechnol.** **11**, 2722 (2011).

107. **H.W. Chang***, J.S. Tsay, Y.C. Hung, W.Y. Chan, W.B. Su, C.S. Chang, and Y.D. Yao, “Growth mechanism and magnetic properties of ultrathin Co/Si(111)-7×7 films”, **J. Nanosci. Nanotechnol.** **11**, 2696 (2011).

106. **H.W. Chang***, C.C. Hsieh, J.Y. Gan, Y.T. Cheng, M.F. Shih, and W.C. Chang, “Alloying effect on the magnetic properties of NdFeB-type bulk magnets”, **J. Phys. D: Appl. Phys.** **44**, 064002 (2011).

105. **H.W. Chang***, Y.T. Cheng, C.C. Hsieh, W.C. Chang, and A.C. Sun “Composition dependence of magnetic properties of directly quenched Nd-Fe-Ti-Zr-B bulk magnets” **J. Alloys Compds.** **509**, 1249 (2011).

104. **H.W. Chang***, J.Y. Gan, C.C. Hsieh, and W.C. Chang, “Comparison on the magnetic properties and microstructure of directly quenched Nd-Fe-Ti-B and Nd-Fe-Ti-Zr-Cr-B-C rods with various diameters”, **Mater. Lett.** **64**, 2468 (2010).

103. **H.W. Chang***, M.F. Shih, C.C. Hsieh, W.C. Chang, and C.Y. Shen, “Magnetic property enhancement of directly quenched Nd-Fe-B bulk magnets with Ti substitution”, **J. Alloys Compds.** 489, 499 (2010).
102. C.C. Hsieh, **H.W. Chang***, C.W. Chang, W.C. Chang, and C.C. Yang, “A study of magnetic properties and high frequency characteristics of Fe-Co/FeCoB-based bilayer films” **Physica Scr.** T139, 014031 (2010).
101. C.C. Hsieh, **H.W. Chang**, C.W. Chang, and W.C. Chang, “The effect of V and C contents on the magnetic properties and phase evolution of melt spun $\text{SmCo}_{7-x}\text{V}_x\text{C}_y$ ($x=0-0.6$; $y=0-0.1$) ribbons” **Physica Scr.** T139, 014028 (2010).
100. **H.W. Chang***, B.F. Wu, Y.D. Yao, W.B. Su, and C.S. Chang, “Co nanoislands on Au(111) and Cu(111) surfaces studied by scanning tunneling microscopy and spectroscopy”, **J. Nanosci. Nanotechnol.** 10, 4663 (2010).
99. C.C. Hsieh, **H.W. Chang**, Z.H. Guo, C.W. Chang, X.G. Zhao, and W.C. Chang, “Crystal structure and magnetic properties of melt spun $\text{SmCo}_{7-x}\text{M}_x$ ($M = \text{Ta}, \text{Cr},$ and Mo ; $x = 0-0.6$) ribbons”, **J. Appl. Phys.** 107, 09A738 (2010).
98. Z.H. Guo, C.C. Hsieh, **H.W. Chang**, W. Pan, A. H. Li, W. C. Chang, and W. Li, “Enhancement of coercivity for melt-spun $\text{SmCo}_{7-x}\text{Ta}_x$ ribbons with Ta addition”, **J. Appl. Phys.** 107, 09A705 (2010).
97. Y.K. Fang, C.H. Lai, C.C. Hsieh, X.G. Zhao, **H.W. Chang**, W.C. Chang, and W. Li, “Thermal stability and magnetocaloric effect of the $\text{Gd}_{65}\text{Fe}_{20}\text{Al}_{15-x}\text{B}_x$ ($x=0-7$) glassy ribbons”, **J. Appl. Phys.** 107, 09A901 (2010).
96. **H.W. Chang***, J.Y. Gan, C.C. Hsieh, X.G. Zhao, and W.C. Chang, “Effects of C and Cr contents on the magnetic properties and microstructure of directly quenched NdFeTiZrCrBC bulk magnets”, **J. Appl. Phys.** 107, 09A740 (2010).
95. **H.W. Chang***, C.S. Guo, C.C. Hsieh, Z.H. Guo, X.G. Zhao and W.C. Chang, “Magnetic properties, phase evolution, and microstructure of melt spun $\text{Sm}(\text{Co}, \text{M})_x\text{C}_y$ ($M=\text{Hf}$ and Zr ; $x=5-9$; $y=0-0.15$) ribbons” **J. Appl. Phys.** 107, 09A710 (2010).
94. **H.W. Chang**, C.C. Hsieh, Z.H. Guo, S.T. Huang, and W.C. Chang, “Magnetic properties and crystal structure of melt spun $\text{Sm}(\text{Co}, \text{M})_7$ ribbons ($M = \text{Hf}, \text{V}, \text{Nb},$ and Ta)”, **Mod. Phys. Lett. B** 23 (31), 3707 (2009).
93. **H.W. Chang***, M.F. Shih, C.C. Hsieh, and W.C. Chang, “Development of bulk $\text{Nd}_{9.5}\text{Fe}_{75.5-x}\text{M}_x\text{B}_{15}$ ($M = \text{Mo}, \text{Nb}, \text{Ta}, \text{Ti},$ and Zr ; $x = 0-4$) magnets by direct casting method”, **J. Alloys Compds.** 484, 143 (2009).

92. S.N. Hsiao, F.T. Yuan, **H.W. Chang**, H.W. Huang, S.K. Chen, and H.Y. Lee, "Effect of initial stress/strain state on order-disorder transformation of FePt thin films", **Appl. Phys. Lett.** 94, 232505 (2009).
91. **H.W. Chang***, J.S. Tsay, W.Y. Chang, K.T. Huang, and Y.D. Yao, "Effect of oxygen exposure on the magnetic properties of ultrathin Co/Si(111)-7×7 films", **J. Magn. Magn. Mater.** 321, 2398 (2009).
90. **H.W. Chang**, S.T. Huang, I.W. Chen, C.W. Chang, and W.C. Chang, "Phase evolution and magnetic properties of TbCu₇-type (Sm,Pr)Co_{7-x}Hf_xM_y (x = 0-0.5; y = 0-0.14) ribbons", **International J. Mod. Phys. B** 23, 1663 (2009).
89. **H.W. Chang***, Y.C. Huang, C.W. Chang, C.C. Hsieh, and W.C. Chang, "Soft magnetic properties and glass formability of Y-Fe-B-M bulk metals (M = Al, Hf, Nb, Ta, and Ti)", **J. Alloys Compds.** 472, 166 (2009).
88. C.W. Chang, **H.W. Chang**, C.C. Hsieh, Z.H. Guo, and W.C. Chang, "Effect of B content on the magnetic properties, phase evolution, and aftereffect of nanocrystalline FeCoPtB ribbons", **J. Appl. Phys.** 105, 07A746 (2009).
87. **H.W. Chang***, Y.T. Cheng, C.W. Chang, C.C. Hsieh, Z.H. Guo, W.C. Chang, and A.C. Sun, "Improvement of size and magnetic properties of Nd_{9.5}Fe_{72.5}Ti₃B₁₅ bulk magnets by Zr or Nb substitution for Ti", **J. Appl. Phys.** 105, 07A742 (2009).
86. Z.H. Guo, **H.W. Chang**, C.W. Chang, C.C. Hsieh, A.C. Sun, W.C. Chang, W. Pan, and W. Li, "Magnetic properties, phase evolution and structure of melt spun SmCo_{7-x}Nb_x (x=0-0.6) ribbons", **J. Appl. Phys.** 105, 07A731 (2009).
85. W. Li, A. H. Li, H.J. Wang, W. Pan, and **H.W. Chang**, "Study on strengthening and toughening of sintered rare-earth permanent magnets" **J. Appl. Phys.** 105, 07A703 (2009).
84. C.C. Hsieh, **H.W. Chang**, C.W. Chang, Z.H. Guo, C.C. Yang, and W.C. Chang, "Crystal structure and magnetic properties of melt spun Sm(Co, V)₇ ribbons", **J. Appl. Phys.** 105, 07A705 (2009).
83. Y.K. Fang, C.C. Yeh, C.C. Hsieh, C.W. Chang, **H.W. Chang**, W.C. Chang, X.M. Li, and W. Li, "Magnetocaloric effect in Fe-Zr-B-M (M=Mn, Cr, Co) amorphous systems" **J. Appl. Phys.** 105, 07A910 (2009).
82. **H.W. Chang***, C.H. Chen, C.W. Chang, C.C. Hsieh, Z.H. Guo, and W.C. Chang, "High magnetic properties of nanocomposite ribbons made with Mischmetals-Fe-Co-Ti-B alloys", **J. Appl. Phys.** 105, 07A704 (2009).
81. F.T. Yuan, H.W. Huang, W.M. Liao, **H.W. Chang**, A.C. Sun, S.N. Hsiao, and

H.Y. Lee, "Tetragonal-to-cubic transformation of CoPt in post-annealed CoPt and CoPt/Au thin films", **IEEE Trans. Magn.** 45, 2682 (2009).

80. **H.W. Chang**, S.T. Huang, I.W. Chen, C.W. Chang, and W.C. Chang, "High magnetic properties of TbCu₇-type melt spun (Sm,Pr)Co_{7-x}Hf_xC_y ribbons", **Fun. Mater. Lett.** 1, 183 (2008).

79. **H.W. Chang***, S.T. Huang, C.W. Chang, W.C. Chang, A.C. Sun, and Y.D. Yao, "Effect of C addition on the magnetic properties, phase evolution, and microstructure of melt spun SmCo_{7-x}Hf_x (x = 0-0.3) ribbons", **Solid State Communication** 147, 69 (2008).

78. F.T. Yuan, H.W. Huang, **H.W. Chang**, D.H. Wei, S.K. Chen, and Y.D. Yao, "Effect of microstructure refinement on the magnetic properties of FePt thin films", **IEEE Trans. Magn.** 44, 4195 (2008).

77. Y.K. Fang, **H.W. Chang**, Z.H. Guo, T. Liu, X.M. Li, W. Li, W.C. Chang, and B.S. Han, "Magnetic microstructures of phase-separated SmCo 2:17-type sintered magnets" **J. Alloys Compds.** 462, 376 (2008).

76. **H.W. Chang***, Y.C. Huang, C.W. Chang, C.H. Chiu, and W.C. Chang "Glass formability and soft magnetic properties of bulk Y-Fe-B-Ti metals", **J. Alloys Compds.** 462, 68 (2008).

75. C.H. Chiu, **H.W. Chang***, C.W. Chang, and W.C. Chang, "Magnetic properties, phase evolution, and microstructure of Pr_xFe_{bal}Ti_yB_{20-x} (x = 4-9; y = 2.5-5) nanocomposites", **J. Magn. Magn. Mater.** 320, 2079 (2008).

74. **H.W. Chang***, M.F. Shih, C.W. Chang, C.C. Hsieh, Y.T. Cheng, W.C. Chang, Y.D. Yao, and A.C. Sun, "Magnetic properties, phase evolution, and microstructure of directly quenched bulk Pr-Fe-B-Nb hard magnets", **Scr. Mater.** 59, 227 (2008).

73. W.Y. Zhang, M. Stoica, J. Eckert, **H.W. Chang**, W.C. Chang, H. Ehrenberg, "The role of combined addition of Ti and B in magnetic hardening of devitrified Pr₂Fe₁₄B/(Fe₃B, α -Fe) nanocomposite magnets", **Phys. Stat. Sol. (a)** 205, 1207 (2008).

72. **H.W. Chang***, S.T. Huang, C.W. Chang, C.H. Chiu, W.C. Chang, A.C. Sun, and Y.D. Yao, "Effect of additives on the magnetic properties and microstructure of melt spun SmCo_{6.9}Hf_{0.1}M_{0.1} (M = B, C, Nb, Si, Ti) ribbons", **J. Alloys Compds.** 455, 506 (2008).

71. W.Y. Zhang, M. Stoica, **H.W. Chang**, M. Calin, R. Schierholz, W.C. Chang, J. Eckert, "The role of nonmagnetic phases in improving the magnetic properties of

- devitrified Pr₂Fe₁₄B-based nanocomposites”, **Mater. Sci. Eng. B** 149, 73 (2008).
70. D.H. Wei, F.T. Yuan, **H.W. Chang**, and Y.D. Yao, “Effect of Fe and Pt underlayers on the microstructure and magnetization reversal of epitaxial FePt films for high areal density magnetic recording”, **J. Appl. Phys.** 103, 07E138 (2008).
69. C.W. Chang, **H.W. Chang**, C. H. Chiu, C.C. Hsieh, Y.K. Fang, and W.C. Chang, “Magnetic properties improvement of Pt-lean FePt/Fe-B type nanocomposites by Co substitution”, **J. Appl. Phys.** 103, 07E133 (2008).
68. D.H. Wei, F.T. Yuan, **H.W. Chang**, K.L. You, Y. Liou, Y.D. Yao, and J.K. Wu, “Magnetization reversal and microstructure of FePt-Ag(001) particulate thin films”, **J. Appl. Phys.** 103, 07E116 (2008).
67. F.T. Yuan, D.H. Wei, **H.W. Chang**, S.K. Chen, H.W. Huang, S.N. Hsiao, A.C. Sun, H.Y. Lee, and Y.D. Yao, “Large energy density enhancement in FePt films by grain refining”, **J. Appl. Phys.** 103, 07E115 (2008).
66. **H.W. Chang***, I.W. Chen, C.W. Chang, Y.K. Fang, C.C. Hsieh, W.C. Chang, A.C. Sun, and Y.D. Yao, “Magnetic properties, phase evolution, and microstructure of melt spun (Sm_{1-x}Pr_x)Co_{7-y}Hf_yC_z (x = 0-1; y = 0.1-0.3; z = 0-0.14) ribbons”, **J. Appl. Phys.** 103, 07E112 (2008).
65. **H.W. Chang***, M.F. Shih, C.W. Chang, C.C. Hsieh, Y.K. Fang, W.C. Chang, Y.D. Yao, and A.C. Sun, “Magnetic properties and microstructure of directly quenched Nd_{9.5}Fe_{75.5-x}M_xB₁₅ (M=Mo, Nb, Ta, Ti, V, and Zr; x=0-4) bulk magnets”, **J. Appl. Phys.** 103, 07E105 (2008).
64. Y.K. Fang, C.W. Chang, C.C. Yeh, **H.W. Chang**, W.C. Chang, and W. Li, “Microstructure and magnetocaloric effect of melt-spun Y₂Fe₁₇ ribbons” **J. Appl. Phys.** 103, 07B302 (2008).
63. A. H. Li, W. Li, C. H. Chiu, **H. W. Chang**, W. C. Chang, and M. Yue, “Structures and magnetic properties of Ti-substituted Pr₂(Fe,Co)₁₄(C,B)-type nanocomposites” **J. Appl. Phys.** 103, 07E102 (2008).
62. C.W. Chang, **H.W. Chang**, C.H. Chiu, and W.C. Chang “Investigation of magnetic properties, phase evolution, and microstructure of Fe_{56.7}Pt_{25.3}M₂B₁₆ (M=Ta, Nb, Ti, and Zr) melt spun ribbons”, **J. Alloys Compds.** 449, 15 (2008).
61. C.C. Lin, **H.W. Chang**, C.H. Chiu, and W.C. Chang, “Magnetic enhancement of PrFeB ribbons by the effect of laminated magnetically soft thin films”, **J. Alloys Compds.** 449, 11 (2008).

60. C.H. Chiu, C.H. Chen, C.W. Chang, W.C. Chang, and **H.W. Chang**, “Development of high performance $\text{Pr}_2(\text{Fe},\text{Co})_{14}\text{B}/\alpha\text{-(Fe,Co)}$ -type nanocomposite ribbons by Co/Ti/C substitution”, **Phys. Scr.** T129, 127 (2007).
59. F.T. Yuan, S.N. Hsiao, S.K. Chen, **H.W. Chang**, K.L. You, and Y.D. Yao, “Microstructure study of the Co added FePt thin films with high energy density” **Phys. Stat. Sol. (a)** 204, 4162 (2007).
58. D.H. Wei, F.T. Yuan, **H.W. Chang**, K.L. You, C.C. Yu, Y. Liou, T.S. Chin, and Y.D. Yao, “Self-organized magnetic assemblies of (001) oriented FePt nanoparticles with SiO_2 additive”, **Nanotechnology** 18, 335603 (2007).
57. D.H. Wei, C.C. Yu, S.C. Fong, F.T. Yuan, **H.W. Chang**, K.L. You, Y. Liou, T.S. Chin, and Y.D. Yao, “Grain refining and decoupling in FePt/ SiO_2 nanogranular films for magnetic recording”, **IEEE Trans. Magn.** 43, 2124 (2007).
56. S.K. Chen, C.W. Hsu, F.T. Yuan, S.N. Hsiao, **H.W. Chang**, A.C. Sun, W.M. Liao, D.H. Wei, and Y.D. Yao, “: Effect of Ag segregation on reversal behavior of $(\text{FePt})_{77}\text{Ag}_{23}$ alloy thin films”, **IEEE Trans. Magn.** 43, 3001 (2007).
55. A.H. Li. C.H. Chiu, **H.W. Chang**, W.C. Chang, and W. Li, “Phase evolution and magnetic properties of $\text{Pr}_x\text{Fe}_{82-x-y}\text{Ti}_y\text{Co}_{10}\text{B}_4\text{C}_4$ ($x = 9\text{--}10.5$; $y = 0, 2$) nanocomposites”, **J. Alloys Compds.** 437, 197 (2007).
54. F.T. Yuan, **H.W. Chang***, W.M. Liao, S.N. Hsiao, S.K. Chen, Y.D. Yao, and H.Y. Lee, “Pre annealing effect on ordering transformation and magnetic properties of CoPt thin films”, **J. Appl. Phys.** 101, 09K526 (2007).
53. C.W. Chang, **H.W. Chang**, C.H. Chiu, and W.C. Chang, “Coercivity enhancement of melt spun FePt ribbons by Au addition”, **J. Appl. Phys.** 101, 09K514 (2007).
52. **H.W. Chang***, S.T. Huang, C.W. Chang, C.H. Chiu, W.C. Chang, A.C. Sun, and Y.D. Yao, “Magnetic properties, phase evolution, and microstructure of melt spun $\text{SmCo}_{7-x}\text{Hf}_x\text{C}_y$ ($x = 0\text{--}0.5$; $y = 0\text{--}0.14$) ribbons” **J. Appl. Phys.** 101, 09K508 (2007).
51. **H.W. Chang***, J.S. Tsay, Y.C. Hung, F.T. Yuan, W.Y. Chan, W.B. Su, C.S. Chang, and Y.D. Yao, “Magnetic properties and microstructure of ultrathin Co/Si(111) films”, **J. Appl. Phys.** 101, 09D124 (2007).
50. **H.W. Chang***, S.T. Huang, C.W. Chang, C.H. Chiu, I.W. Chen, W.C. Chang, A.C. Sun, and Y.D. Yao, “Comparison on the magnetic properties and phase evolution of melt spun SmCo_7 ribbons with Hf and Zr substitution” **Scr. Mater.** 56, 1099 (2007).
49. F.T. Yuan, S.N. Hsiao, **H.W. Chang**, W.M. Liao, S.K. Chen, and Y.D. Yao, “Thickness effect on structural and magnetic properties in $\text{Fe}_{49-x}\text{Pt}_{51}\text{Co}_x$ thin film ($x =$

- 0 and 1.3)”, **J. Magn. Magn. Mater.** 310, e777 (2007).
48. C. W. Chang, **H. W. Chang**, C. H. Chiu, C. H. Chen, W. C. Chang, H. Ouyang, and C. C. Lin, “The effect of annealing time on the magnetic properties and microstructure of $(\text{Fe}_{0.675}\text{Pt}_{0.325})_{84}\text{B}_{16}$ ribbons”, **J. Magn. Magn. Mater.** 310, 2593 (2007).
47. **H. W. Chang**, J. S. Tsay, Y. L. Chiou, K. T. Huang, W. Y. Chan, and Y. D. Yao, “Coercivity enhancement of ultrathin Co/Ge(111) films by Co/O interfacial anisotropy”, **J. Magn. Magn. Mater.** 310, e741 (2007).
46. C. H. Chiu, **H. W. Chang***, C. W. Chang, and W. C. Chang, “Magnetic properties, phase evolution, and coercivity mechanism of Pr-Fe-Ti-B based nanocomposites with Co/C cosubstitution”, **Scr. Mater.** 56, 429 (2007).
45. C. W. Chang, **H. W. Chang**, C. H. Chiu, C. H. Chen, W. C. Chang, H. Ouyang, and C. C. Lin, “Magnetic properties and microstructure of $(\text{Fe}_{0.5+y}\text{Pt}_{0.5-y})_z\text{B}_{100-z}$ ($y=0-0.2; z=82$ and 84) melt spun ribbons”, **J. Iron Steel Res. Int.** 13, 273 (2006).
44. Li An-Hua, C. H. Chiu, **H. W. Chang**, W. C. Chang, Wang Hui-jie, and Li Wei, “Investigation of structure and magnetic properties of rare earth-leaned $\text{Pr}_2(\text{Fe}, \text{Co})_{14}(\text{B}, \text{C})$ -type nanocomposites”, **J. Iron Steel Res. Int.** 13, 209 (2006).
43. C. H. Chiu, **H. W. Chang**, C. W. Chang, W. Y. Zhang, and W. C. Chang, “Effect of C on the phase evolution, microstructure, and magnetic properties of $\text{Pr}_2\text{Fe}_{14}\text{B}$ -type nanocomposites”, **J. Iron Steel Res. Int.** 13, 136 (2006).
42. **H.W. Chang***, F.T. Yuan, Y.D. Yao, W.Y. Cheng, W.B. Su, C.S. Chang, C.W. Lee, and W.C. Cheng, “Step edge growth of Co nanoislands on Cu(111) surface”, **J. Appl. Phys.** 100, 084304 (2006).
41. C.H. Chiu, **H.W. Chang**, C.W. Chang, and W.C. Chang, “Investigation of magnetic properties, phase evolution, and microstructure of melt spun PrFeTiBC nanocomposites”, **J. Alloys and Compds.** 424, 376 (2006).
40. **H. W. Chang***, C. H. Chiu, C. W. Chang, W. C. Chang, A. C. Sun, and Y. D. Yao, “Effect of Ti substitution on the magnetic properties, microstructure, and aftereffect of melt spun PrFeB nanocomposites”, **Scr. Mater.** 55, 529 (2006).
39. C. Hsu, J. K. Nieh, **H. W. Chang**, C. M. Tseng, W. C. Chang, and Y. D. Yao, “Magnetic properties and phase evolution of direct quenched $(\text{Co}_{40}\text{Fe}_{22}\text{Nb}_6\text{Zr}_2\text{B}_{30})_{98}\text{M}_2$ ($\text{M}=\text{Cr}, \text{Cu}, \text{Sn}, \text{Dy}, \text{Pr},$ and Ta) ribbons with crystallization treatments”, **J. Magn. Magn. Mater.** 304, e210 (2006).
38. C. W. Lai, Y. L. Chiou, **H. W. Chang**, J. S. Tsay, K. T. Huang, and Y. D. Yao,

- “Compositional determination of oxygen exposed Co/Ge(111) films: Surfactant effect”, **J. Magn. Magn. Mater.** 304, e75 (2006).
37. C. P. Chen, **H. W. Chang**, C. H. Chiu, W. C. Chang, and S. K. Chen, “Structural and magnetic properties of nanostructured Tb(Mn_{1-y}Ty)₆Sn₆ melt spun ribbons”, **J. Magn. Magn. Mater.** 304, e225 (2006).
36. J. S. Tsay, **H. W. Chang***, Y. L. Chiou, K. T. Huang, W. Y. Chan, and Y. D. Yao, “Effect of oxygen exposure on the magnetic properties of ultrathin Co/Ge(111) films”, **J. Magn. Magn. Mater.** 304, e68 (2006).
35. **H. W. Chang**, C. H. Chiu, C. W. Chang, C. H. Chen, W. C. Chang, Y. D. Yao, and A. C. Sun, “Comparison on the phase evolution and magnetic properties of directly quenched Pr_{8.5}Fe_{81.5}M₂B₁₀ nanocomposites (M = Cr, Nb, Ti, V, Zr), **J. Magn. Magn. Mater.** 304, e216 (2006).
34. C. H. Chiu, **H. W. Chang**, C. W. Chang, and W. C. Chang, “Study on the magnetic properties, phase evolution and microstructure of Pr_xFe_{82.2-y}Ti_yB_{17.8-x} (x= 5-11.8; y= 2.5-5.5) nanocomposites” **J. Magn. Magn. Mater.** 303, e379 (2006).
33. C. W. Chang, **H. W. Chang**, C. H. Chiu, and W. C. Chang, “Effect of Fe/Pt ratio on the magnetic properties and corrosion behavior of nanocomposite FePtB ribbons” **J. Magn. Magn. Mater.** 303, e359 (2006).
32. C. H. Chen, C. H. Chiu, **H. W. Chang**, C. W. Chang, and W. C. Chang, “Magnetic properties, microstructure and phase evolution of (Ce_{1-x}Pr_x)_{9.5}Fe_{bal}.Co_yTi₂B₁₀ (x = 0-1 and y= 0, 2.5) nanocomposites”, **J. Appl. Phys.** 99, 08B519 (2006).
31. C. W. Chang, **H. W. Chang**, C. H. Chiu, W. C. Chang, Y. K. Fang, and B. S. Han, “Magnetic aftereffect and MFM studies of Fe-B/FePt-type nanocomposite ribbons”, **J. Appl. Phys.** 99, 08E907 (2006).
30. C. H. Chiu, **H. W. Chang**, C. W. Chang, and W. C. Chang, “The effect of Ti and C on the phase evolution and magnetic properties of Pr₉Fe_{bal}.Ti_xB_{11-y}C_y (x= 0- 4; y= 0- 11) nanocomposites”, **J. Appl. Phys.** 99, 08B518 (2006).
29. **H. W. Chang**, J. S. Tsay, Y. L. Chiou, K. T. Huang, W. Y. Chan, and Y. D. Yao, “Magnetic properties of ultrathin Co/Ge(111) films with oxygen surfactant”, **J. Appl. Phys.** 99, 08J705 (2006).
28. W. C. Chang, C. C. Lin, **H. W. Chang**, C. H. Chiu, and S. K. Chen, Magnetic property enhancement by sputtering magnetically soft films (Fe, Co, FeCo) on the PrFeB type permanent magnet ribbons, **Surf. Coating Tech.** 200, 3366 (2006).

27. **H. W. Chang***, C. H. Chiu, C. W. Chang, C. H. Chen, W. C. Chang, Y. D. Yao, and A. C. Sun, "Effect of substitution of refractory elements for Fe on the magnetic properties of melt-spun $\text{Pr}_{9.5}\text{Fe}_{80.5}\text{B}_{10}$ nanocomposites", **J. Alloys Compds.** 407, 53 (2006).
26. A. C. Sun, S. C. Chen, P. C. Kuo, C. Y. Chou, Y. H. Fang, Jen-Hwa Hsu, H. L. Huang, and **H. W. Chang**, "Reduction of grain size and ordering temperature in L_{10} FePt thin films", **IEEE Trans. Magn.** 41, 3772 (2005).
25. C. H. Chiu, **H. W. Chang**, C. W. Chang, and W. C. Chang, "Effect of Boron content on the magnetic properties, phase evolution and microstructure of $\text{Pr}_9\text{Fe}_{\text{bal.}}\text{Ti}_{2.5}\text{B}_x$ ($x = 7-15$) nanocomposites" **IEEE Trans. Magn.** 41, 3769 (2005).
24. **H. W. Chang***, C. H. Chiu, C. W. Chang, W. C. Chang, Y. D. Yao, and A. C. Sun, "Effect of Pr concentration on the magnetic properties and phase evolution of Ti-substituted $\text{Pr}_y\text{Fe}_{88-y}\text{Ti}_2\text{B}_{10}$ nanocomposite ribbons", **J. Alloys Compds.** 402, 269 (2005).
23. A. H. Li. C. H. Chiu, **H. W. Chang**, W. C. Chang, and W. Li, "Composition dependence of structure and magnetic properties of $\text{Pr}_2(\text{Fe}, \text{Co})_{14}(\text{B}, \text{C})$ type nanocomposites", **J. Appl. Phys.** 98, 044315 (2005).
22. Y. L. Sun, C. H. Chiu, C. W. Chang, **H. W. Chang**, and W. C. Chang, "Magnetic properties and microstructure of nanocomposite $\text{Pr}_2\text{Fe}_{14}(\text{B},\text{C})/\alpha\text{-Fe}$ melt-spun ribbons", **J. Appl. Phys.** 97, 10K309 (2005).
21. C. W. Chang, **H. W. Chang**, C. H. Chiu, and W. C. Chang, "Effect of boron on the magnetic properties and exchange coupling effect of FePtB-type nanocomposite ribbons", **J. Appl. Phys.** 97, 10N117 (2005).
20. L. Y. Chen, **H. W. Chang**, C. H. Chiu, C. W. Chang, and W. C. Chang, "Magnetic properties, phase evolution, and coercivity mechanism of $\text{Co}_{98-x}\text{Zr}_x\text{B}_2$ ($x=74-86$) nanocomposites", **J. Appl. Phys.** 97, 10F307 (2005).
19. C. W. Chang, **H. W. Chang***, C. H. Chiu, W. C. Chang, S. K. Chen, and A. C. Sun, "Fe-B/FePt-type nanocomposite ribbons with high permanent magnetic properties", **J. Magn. Magn. Mater.** 292, 120 (2005).
18. C. H. Chiu, **H. W. Chang**, W. C. Chang, and Emio Yu, "Effect of M/C ($M = \text{Zr}, \text{Nb}$ and Ti) substitution on the phase evolution and magnetic properties of $\text{Pr}_2\text{Fe}_{23}\text{B}_3$ ribbons", **Phys. Stat. Sol. (c)** 12, 3389 (2004).
17. **H. W. Chang**, C. H. Chiu, W. C. Chang, and S. K. Chen, "Magnetic properties and phase evolution of PrFeB nanocomposites by refractory elements substitution",

Phys. Stat. Sol. (c) 12, 3394 (2004).

16. **H. W. Chang**, C. H. Chiu, and W. C. Chang, "Magnetic property enhancement of nanocrystalline $\text{Pr}_2\text{Fe}_{23}\text{B}_3$ melt-spun ribbons by refractory elements substitution", **Trans. Mater. Res. Soc. Jap.** 29[4], 1709 (2004).

15. **H. W. Chang**, C. H. Chiu, and W. C. Chang, "Improvement on the magnetic properties of $\text{Pr}_{8.5}\text{Fe}_{81.5}\text{B}_{10}$ nanocomposites by refractory elements substitution", **IEEE Trans. Magn.** 40, 2871 (2004).

14. **H. W. Chang**, W. C. Chang, Z Y. Pang, S. H. Han, and B. S. Han, "Investigation of magnetic properties, aftereffect and MFM of $\text{Pr}_y\text{Fe}_{90-y}\text{B}_{10}$ ($y = 8-11.76$) nanocomposites", **J. Magn. Magn. Mater.** 279, 149 (2004).

13. W. Y. Zhang, **H. W. Chang**, C. H. Chiu, W. C. Chang, and J. Z. Han, "Beneficial effect of the substitution of Co for Fe on the magnetic properties of melt-spun $\text{Pr}_2\text{Fe}_{14}\text{C}/\alpha\text{-Fe}$ -type" nanocomposite magnets", **J. Alloys Compds.** 379, 28 (2004).

12. C. H. Chiu, **H. W. Chang**, and W. C. Chang, "Effect of Fe substitution by Ti or Nb/V/Zr on phase evolution and magnetic properties of $\text{Pr}_2\text{Fe}_{23}(\text{B,C})_3$ (=Nb, Ti, V and Zr) ribbons ", **J. Magn. Magn. Mater.** 282, 186 (2004).

11. W. Y. Zhang, **H. W. Chang***, C. H. Chiu, and W. C. Chang, "Phase evolution, magnetic properties, and coercivity mechanism of melt spun $\text{Pr}_2\text{Fe}_{14}(\text{C, B})/\alpha\text{-Fe}$ -type ribbons", **Physica B** 344, 201 (2004).

10. Z. Y. Pang, Y. K. Fang, **H. W. Chang**, S. H. Han, B. S. Han, and W. C. Chang, "Magnetic microstructure of $\text{Pr}_y\text{Fe}_{90-y}\text{B}_{10}$ ($y=8-11.76$) nanocrystalline ribbons using MFM", **Chinese Phys. Lett.** 20, 2033 (2003).

9. C. P. Chen, M. D. Lin, **H. W. Chang**, C. H. Chiu, and W. C. Chang, "Magnetic properties of nanostructured TbMn_6Sn_6 melt spun ribbons", **IEEE Trans. Magn.** 39, 2875 (2003).

8. **H. W. Chang**, C. H. Chiu, and W. C. Chang, "Magnetic property enhancement of melt-spun $\text{Pr}_2\text{Fe}_{23}\text{B}_3$ ribbons with dilute Ti substitution.", **Appl. Phys. Lett.** 82, 4513 (2003).

7. W. C. Chang, J. K. Chang, **H. W. Chang**, and S. K. Chen, "Magnetic properties and phase evolution of nanocomposite $\text{Nd}_{10}\text{Fe}_{\text{bal.}}\text{MCB}_{10.5}$ ($M=\text{Ti, Nb, V, Cr and Mo}$) melt spun ribbons", **Physica B** 327, 296 (2003).

6. **H. W. Chang**, W. C. Chang, J. C. Ho, W. M. Hikal, and H. H. Hamdeh, "Magnetic properties and Mössbauer studies of $\text{Pr}_y\text{Fe}_{90-y}\text{B}_{10}$ ($y = 8-11.76$) nanocomposites.", **Physica B** 327, 292 (2003).

5. **H. W. Chang**, W. C. Chang, J. C. Ho, M. Unver, and H. H. Hamdeh, “Magnetic properties, Mössbauer and aftereffect studies of $\text{Pr}_{10}\text{Fe}_{90-x}\text{B}_x$ ($x= 5.88-11.5$) nanocomposites.”, **J. Appl. Phys.** 93, 4027 (2003).
4. W. C. Chang, J. K. Chang, and **H. W. Chang**, “Investigation of magnetic properties and phase evolution of $\text{Nd}_x\text{Fe}_{\text{bal}}\text{TiCB}_{10.5}$ ($x = 9-11$) melt spun ribbons”, **J. Appl. Phys.** 91, 8171 (2002).
3. W. C. Chang, J. F. Wen, **H. W. Chang**, M. D. Lee, and B. M. Ma, “Phase evolution and magnetic properties of boron enriched $(\text{Nd}_{0.7}\text{Pr}_{0.25}\text{La}_{0.05})_x\text{Fe}_{\text{bal}}\text{Ti}_2\text{B}_y$ ($x = 4.4-10.7$; $y = 10.9-18.6$) nanocomposites”, **J. Magn. Magn. Mater.** 239, 433 (2002).
2. **H. W. Chang**, W. C. Chang, M. D. Lee, H. H. Hamdeh, X. Zhang, and J. C. Ho, “Magnetic Properties and Mössbauer studies of PrFeB nanocomposites”, **J. Magn. Magn. Mater.** 239, 461 (2002).
1. H. H. Hamdeh, X. Zhang, J. C. Ho, W. C. Chang, **H. W. Chang**, and Y. S. Liou, “Mössbauer studies of melt-spun $\text{Pr}_2\text{Fe}_{14}\text{B}$ ribbons”, **J. Appl. Phys.** 90, 2033 (2001).