

# Publications of Prof. Wen Cheng Chang

## Referred papers

(\*: Corresponding author)

( up to 2019. 04.29)

1. " RECENT DEVELOPMENT IN Nd-Fe-B PERMANENT MAGNETS" **Chinese J. Mat. Sci.** 15 (1985) 8  
**W.C. Chang\***, S.K. Chen and P.C. Kuo
2. "EFFECT OF OXYGEN ON THE MAGNETIC PROPERTIES OF SINTERED NdFeB MAGNET", **Chinese J. Mat. Sci.** 19 (1987) 310  
S.K. Chen and **W.C. Chang\***
3. "EFFECT OF POWDER OXIDATION ON THE MAGNETIC PROPERTIES OF SINTERED Nd-Fe-B MAGNETS", **MRL Bulletin of Research and Development**, Volume 1 No. 2, (1987) 17  
**W.C. Chang\***, S.K. Chen, Y.C. Hong, K.D. Lin and J.R. Chen
4. "SEM STUDY THE EFFECT OF Zr ADDITIVE ON THE MICRO-STRUCTURES OF Sm(Co,Cu,Fe,Zr)<sub>7.46</sub> MAGNETS", **MRL Bulletin of Research and Development**, Volume 2, No. 1, (1988) 39  
**W.C. Chang\***, Y.C. Lin, J.C. Lin, D.P. Chiang and K.F. Fan
5. "A TEXTURE STUDY OF ANISOTROPIC SINTERED Nd-Fe-B MAGNET", **J. Appl. Phys.**, 63(8), 15 April, (1988) 3531  
**W.C. Chang\***, T.B. Wu, K.S. Liu
6. "MAGNETIC PROPERTIES AND MICROSTRUCTURES OF MAGNESIUM-DOPED NdFeB MAGNETS", **J. Appl. Phys.**, 64(10) 15 Nov. (1988) 5513  
C.H. Lin, S.K. Chen, K.D. Lin, **W.C. Chang** and T.S. Chin
7. "COMPACTION AND SINTERING BEHAVIORS OF Nd-Fe-B PERMANENT MAGNET ALLOY", **J. Appl. Phys.**, 64(10) 15 Nov. (1988)5531  
T.S. Chin, M.P. Hung, D.S. Tsai, K.F. Wu and **W.C. Chang**
8. "SEM STUDY THE EFFECT OF Zr ADDITIVE ON THE MICROSTRUCTURES OF Sm(Co,Cu,Fe,Zr)<sub>7.64</sub> MAGNETS", **J. Appl. Phys.**, 63(8),15 April,(1988)3993  
Y.C. Lin, H.C. Lin, D.P. Chiang, K.M. Fan and **W.C. Chang**
9. "THE DISSOLUTION KINETICS OF FREE IRON IN NdFeB PERMANENT

- MAGNET ALLOYS",  
**J. Magn. Magn. Mater.** 80 (1989) 352  
W.C. Chan\*, T.S. Chin and K.S. Liu
10. "THE INFLUENCE OF SINTERING AIDS ON THE TEXTURE AND  
REMANENCE OF Nd-Fe-B MAGNET ALLOYS",  
**J. Magn. Magn. Mater.** 78 (1989) 283  
W.C. Chang\*, T.S. Chin and K.S. Liu
11. "THE SURFACE ETCHING CHARACTERISTICS OF Sm<sub>2</sub>TM<sub>17</sub> PRECIPITATION  
HARDENING MAGNETS", **MRS Int'l Mtg on Adv. Mats.**  
Vol.11 (1989) 109  
W.C. Chang\*, W.B. Shu, C.C. Chang and T.S. Chin
12. "EFFECTS OF ADDITIVES ON THE ORIENTATION AND STRENGTH OF  
PLASTIC FERRITE MAGNET", **IEEE Tran. Magn.** 25 (1989) 3287  
Y.C. Hung, W.S. Ko, M.J. Tung, L.K. Chen, W.C. Chang\*
13. "MAGNETIC PROPERTIES OF TETRAGONAL Y(Fe,M)<sub>12</sub> AND Nd(Fe,M)<sub>12</sub>  
ALLOYS (M=Si/Ti/V)",  
**IEEE Trans. Magn.** 25 (1989) 3300  
T.S. Chin, C.C. Weng, M.P. Hung, W.C. Chang, C.H. Lin
14. "EFFECT OF THE VARIATION IN Sm/Cu/Zr CONTENT ON PHASE  
STABILITY OF A Sm(Co,Fe,Cu,Zr). PERMANENT MAGNET ALLOY",  
**IEEE Trans. Magn.** 25 (1989) 3782  
T.S. Chin, W.C. Chang, R.T. Chang, H.T. Lee and M.P. Hung
15. "MAGNETIC AND CRYSTALLOGRAPHIC PROPERTIES OF THE  
PERMANENT MAGNET SYSTEM Nd<sub>2</sub>(Co<sub>1-x</sub>M<sub>x</sub>)B (M=Ni,Cu,Ga,Ge)", **J.**  
**Magn. Magn. Mater.** 82 (1989) 12  
S.K. Chen, J.G. Duh, H.C. Ku, W.C. Chang
16. "A SIMPLE CHEMICAL ETCHING OF Sm<sub>2</sub>Co<sub>17</sub> MAGNET ALLOYS FOR  
METALLOGRAPHY PURPOSES",  
**J. Materials Characterization**, 25 (1990) 285  
W.C.Chang\*, T.S. Chin and K.S. Liu
17. "MAGNETIC PROPERTIES OF Gd-Fe-M AND Sm-Fe-M (M=Si/Ti/V/Cr/  
Mn/Mo/W) ALLOYS WITH ThMn<sub>12</sub> STRUCTURE",  
**J. Magn. Magn. Mater.** 90 (1990) 395  
T.S. Chin, W. C. Chang, C. H. Lin, C. C. Weng, M. C. Deng, M. P. Hung

18. "THE MAGNETIC PROPERTIES OF HOT-ROLLED  $\text{Pr}_{17}\text{Fe}_{77.5}\text{B}_4\text{M}_{1.5}$  (M=Cu/Ga/Ag/Al/In/Pb) ALLOYS"  
**IEEE Tran. Magn.** 26 (1990) 2604  
W.C. Chang\*, C.R. Paik, H. Nakamura, N. Takahashi, S. Sugimoto, M. Okada, M. Homma.
19. "COERCIVITY AND MICROSTRUCTURE OF MELT SPUN  $\text{Nd}(\text{Fe},\text{M})_{12}\text{-Nd}_2\text{B}$  (M=Ti, Cr, Al) PSEUDOBINARY ALLOYS"  
**IEEE Tran. Magn.** 26 (1990) 1394  
 S.H. HUANG, T.S. CHIN, Y.S. CHEN, S.K. CHEN, C.H. LIN, C.D. WU  
W.C. CHANG
20. "MAGNETIC PROPERTIES OF SINTERED PERMANENT MAGNETS R-Fe-Cu-B (R=Pr AND Nd)"  
**IEEE Tran. Magn.** 26 (1990) 2607  
 C.H. LIN, Y.M. JEAN, C.J. CHEN, T.Y. LIU, H.C. KUNG, C.D. WU,  
W.C. CHANG, S.K. CHEN
21. "THE MAGNETIC PROPERTIES AND HOT-ROLLED CHARACTERISTICS OF R-Fe-B-M (R=Pr, ND; M=Cu, Ga) ALLOYS"  
**Chinese J. Mat. Sci.** 22 (1990) 286  
W.C. CHANG\*, C.H. LIN, H. NAKAMURA, N. TAKAHASHI, M. OKADA  
 M. HOMMA
22. "HYDROGEN INDUCED RADIALY ANISOTROPIC SINTERED R-Fe-B (R=Pr, Dy) MAGNETS"  
**J. Appl. Phys.** 69 (1991) 5518  
 C.H. LIN, C.J. CHEN, T.Y. LIU, W.C. CHANG and C.D. WU
23. "EFFECT OF  $\text{NdF}_3$  AND  $\text{NdCl}_3$  SUBSTITUTION FOR  $\text{Nd}_2\text{O}_3$  ON THE R/D PROCESS OF NdFeB POWDERS"  
**J. Appl. Phys.** 70 (1991) 6612  
 T.Y. Liu, C.J. Chen, C.H. Lin, W.C. Chang\*
24. "THE EFFECT OF ADDITIONAL ELEMENTS ON THE MAGNETIC PROPERTIES OF HOT-ROLLED Nd-Fe-B ALLOYS"  
**J. Magn. Magn. Mater.**, 109 (1992) 103 .  
W.C. Chang, H. Nakamura, C.R. Paik, S. Sugimoto, M. Okada, M. Homma
25. "NITROGENATION EFFECT OF REDUCTION-DIFFUSION  $\text{Sm}_2\text{Fe}_{17}$  POWDERS"

- IEEE Tran. Magn.** 28, 5 (1992) 2593  
T.Y. Liu, **W.C. Chang\***, C.J. Cheng, T.Y. Chu, C.D. Wu
26. " MICROSTRUCTURE AND SOFT MAGNETIC PROPERTIES OF THE SPUTTERED FeSiAlRuTi FILMS"  
**MRL Bull. Res. Dev.**, 6 (1992) 57  
J.C. Lin, M.R. Tseng, J.J. Chu, C.J. Chen, **W.C. Chang**
27. " ELECTRICAL PROPERTIES AND DEGRADATION PHENOMENA OF GLASS-DOPED ZnO CHIP VARISTORS"  
**Mater. Sci. Eng**, B20 (1993) 261  
J. N. Lin, C.M. Lin, C.C. Kao and **W.C. Chang**
28. " STUDY OF LOSS MECHANISM OF Mn-Zn FERRITES IN THE FREQUENCY FROM 1MHz TO 10MHz"  
**IEEE Tran. Magn.** 29 (1994) 3526  
M.J. Tung, **W.C. Chang**, T.Y. Liu, C.S. Liu, M.J. Tsay, C.J. Chen
29. " ELECTRICAL AND MAGNETIC STUDIES OF (Cu/Zn)-BONDED  $Sm_2Fe_{17}M_xN_y$  MAGNETS (M=B or C)"  
**J. Appl. Phys.** 75 (1994) 6244 (NSC- 82-0208-M194-006)  
Y.D. Yao, P.C. Kuo, **W.C. Chang**, and C.J.Liu
30. " THE EFFECT OF B ADDITION ON  $(Sm_{2-x}R_x)Fe_{17}B_y$  (R= Nd, Tb) ALLOYS AND THEIR NITRIDES"  
**Mat. Chem. Phys.** 39 (1994) 40  
**W.C. Chang\*** and C.Z. Wu (NSC-82-0208-M194-006)
31. "MAGNETIC STUDIES OF  $(Y_{1-x}Nd_x)(Fe_{1-y}Co_y)_{11.5}Mo_{0.5}N$  ALLOY POWDERS"  
**J. Alloy and Compound.** 222 (1995) 87  
**W. C. Chang\***, C. S. Chen and Y. D. Yao (NSC-83-0208-M194-020)
32. "MAGNETIC AND STRUCTURAL PROPERTIES OF  $Er_2Fe_{17-x}Ga_xC_2$  COMPOUNDS "  
**J. Magn. Magn. Mater.** 140-144 (1995) 1083  
S. K. Chen, **W. C. Chang** and S. L. Lu (NSC-83-0208-M194-020)
33. " OPTICAL AND MAGNETIC STUDIES OF Co-Ti ALLOY FILMS"  
**J. Magn. Magn. Mater.** 140-144 (1995) 687  
K. T. Wu, Y. D. Yao, **W. C. Chang** and C. Y. Chu
34. " Al<sub>2</sub>O<sub>3</sub>-DOPED SR-FERRITE MAGNETIC THIN FILMS WITH AN EASY-AXIS

IN-PLANE ORIENTATION"

**IEEE Tran. Magn.** MAG-31 (1995) 2788

**W. C. Chang\***, B. J. Lee, J. C. Lin and C. J. Chen (NSC-84-2112-M-194-002)

35." MAGNETIC PROPERTIES OF  $Y_2Fe_{17-x}M_xC_y$  COMPOUNDS (M=Ga, Al and Si)"

**J. Magn. Magn. Mater.** 157/158 (1996) 89 (NSC-83-0208-M194-020)

**W. C. Chang\***, S. L. Lu, S. K. Chen and C. H. Yu

36." EFFECT OF NITROGEN INTERSTITIAL IN  $\alpha$ -Fe CRYSTALLINE ON THE  
MAGNETIC SOFT PROPERTIES OF FeTaN THIN FILMS"

**J. Appl. Phys.** 79 (1996) 5159 (NSC-84-2112-M-194-002)

**W. C. Chang\***, D. C. Wu, J. C. Lin and C. J. Chen

37." STRUCTURAL AND MAGNETIC STUDIES OF  $Er_2Fe_{17-x}M_xC_y$  (M=Ga AND Al)  
COMPOUNDS"

**J. Appl. Phys.** 79 (1996) 5535 (NSC-83-0208-M194-020)

**W. C. Chang\***, S. L. Lu, S. K. Chen and Y. D. Yao

38." MAGNETIC PROPERTIES AND TEM MICROSTRUCTURES OF EXCHANGE  
COUPLED  $Nd_{12-x}Fe_{82+x}B_6$  MELT SPUN RIBBONS"

**J. Appl. Phys.** 79 (1996) 4843 (NSC-84-2112-M-194-002)

**W. C. Chang\*** and D. M. Hsing

39." THE EFFECTS OF BORON CONTENT ON THE MICROSTRUCTURE AND  
EXCHANGE COUPLING EFFECT OF  $Nd_{9.5}Fe_{85.5-x}B_{5+x}$  MELT SPUN RIBBONS"

**IEEE Trans. Magn.** 32 (1996) 4425 (NSC-84-2112-M-194-002)

**W. C. Chang\***, D. M. Hsing, B. M. Ma and C. O. Bounds

40. " NEUTRON DIFFRACTION STRUCTURAL ANALYSIS OF  $Y_2Fe_{17-x}T_xC$  (T=Al, Ga,  
Si) ALLOYS"

**IEEE Trans. Magn.** 32 (1996) 4410 (NSC-85-2112-M-194-002)

W. Yelon, Z. Hu, **W. C. Chang** and S. L. Lu

41. " STUDY OF THE EXCHANGE COUPLING EFFECT OF  $(Nd_2Fe_{14}B)_{1-x}(\alpha-Fe)_x$   
NANOCOMPOSITE MAGNET"

**Bulletin. Powder Metallurgy Asso. China**, 21 (1996) 7

(NSC-84-2112-M-194-002)

**W. C. Chang\***, D. M. Hsing and S. H. Wu

42 " THE EFFECT OF GRAIN BOUNDARY IMPEDANCE ON THE POWER LOSS OF  
Mn-Zn FERRITES OVER 1 MHz"

**J. Phys. IV France** 7, C1 (1997) 129

M. J. Tung, M. J. Tsay, **W. C. Chang** and T. Y. Tseng

43. “ THE PRODUCTION OF HIGH PERMEABILITY Mn-Zn FERRITES BY ATMOSPHERE PROTECTION”  
**J. Phys. IV France 7, C1 (1997) 71**  
 Tsai, M. J. Tung, T. Y. Tseng and **W. C. Chang**
44. “ THE EFFECT OF La-SUBSTITUTION ON THE MICROSTRUCTURE AND MAGNETIC PROPERTIES OF NANOCOMPOSITE NdFeB MELT SPUN RIBBONS”  
**J. Magn. Magn. Mater., 167 (1997) 65. (NSC-84-2112-M-194-002)**  
**W. C. Chang\***, S. H. Wu, B. M. Ma and C. O. Bounds
45. “ MAGNETIC PROPERTIES ENHANCEMENT OF NANOCOMPOSITE Nd<sub>9.5</sub>Fe<sub>81.5</sub>B<sub>9</sub> MELT SPUN RIBBONS BY La AND Cr SUBSTITUTION”  
**J. Appl. Phys. 81 (1997) 4453. (NSC-85-2112-M-194-002)**  
**W. C. Chang\***, S. H. Wu, B. M. Ma and C. O. Bounds
46. “ RARE EARTH EFFECT ON THE SITE OCCUPATION OF Al AND C IN R<sub>2</sub>Fe<sub>15</sub>Al<sub>2</sub>C<sub>y</sub> (R=Pr, Tb and Ho) ALLOYS”  
**J. Appl. Phys. 81 (1997) 4548. (NSC-85-2112-M-194-002)**  
**W. C. Chang\***, S. H. Tsai, W. B. Yelon, Z. Hu, H. Luo, M. Chen.
47. "STUDIES OF V, Nb, Cr and Zr SUBSTITUTED 2:17 COMPOUNDS AND THEIR CARBIDES USING NEUTRON DIFFRACTION”  
**J. Appl. Phys. 81(1997) 4542. (NSC-85-2112-M-194-002)**  
 H. Luo, Z. Hu, M. Chen, W. B. Yelon, G. K. Marasinghe, P. C. Ezekwenna, W. J. James, **W. C. Chang**, S. H. Tsai.
48. “ IMPROVEMENT ON MAGNETIC PROPERTIES OF NANOCOMPOSITE NdFeB MELT SPUN RIBBONS BY ELEMENTAL SUBSTITUTIONS” **RARE EARTHS-Science Technology & Applications III. (1997)181. (NSC-85-2112-M-194-002)**  
**W. C. Chang\***, S. H. Wu, B. M. Ma and C. O. Bounds.
49. “MAGNETIC AND NEUTRON DIFFRACTION STUDIES OF R<sub>2</sub>Fe<sub>17-x</sub>Al<sub>x</sub>(R=Y, Pr, Tb AND Ho) INTERMETALLIC COMPOUNDS WITH Th<sub>2</sub>Zn<sub>17</sub>-TYPE CRYSTAL STRUCTURE”  
**J. Magn. Magn. Mater., 172 (1997)277. (NSC- 85-2112-M-194-002)**  
**W. C. Chang\***, S. H. Tsai, L. J. Chao, Z. Hu, H. Luo, W. B. Yelon.
50. “MAGNETIC PROPERTIES ENHANCEMENT OF  $\alpha$ -Fe/Nd<sub>2</sub>Fe<sub>14</sub>B-TYPE

NANOCOMPOSITE BY Co SUBSTITUTION”

**J. Appl. Phys.** 83 (1998) 2147. (NSC- 85-2112-M-194-002)

**W. C. Chang\***, S. H. Wu, B. M. Ma, C. O. Bounds and S. Y. Yao.

51. “HIGH PERFORMANCE  $\alpha$ -Fe/Nd<sub>2</sub>Fe<sub>14</sub>B-TYPE NANOCOMPOSITES”

**Appl. Phys. Lett.** 72 (1998) 121. (NSC-85-2112-M-194-002)

**W. C. Chang\***, D. Y. Chiou, S. H. Wu, B. M. Ma and C. O. Bounds.

52. "THE EFFECT OF BORON AND RARE EARTH CONCENTRATION ON THE MAGNETIC PROPERTIES OF La AND Cr SUBSTITUTED  $\alpha$ -Fe/R<sub>2</sub>Fe<sub>14</sub>B-TYPE NANOCOMPOSITES"

**J. Appl. Phys.** 83 (1998) 6271.

(NSC- 86-2112-M-194-012)

**W. C. Chang\***, D. Y. Chiou, S. H. Wu, B. M. Ma, Q. Chen and C. O. Bounds

53. " A NEUTRON DIFFRACTION STRUCTURAL STUDY OF R<sub>2</sub>Fe<sub>17-x</sub>Al(C)(R=Tb, Ho) ALLOYS"

**J. Appl. Phys.** 83 (1998) 6863.(NSC- 86-2112-M-194-012)

W. B. Yelon, H. Luo, M. Chen, **W. C. Chang\***, S. H. Tsai.

54. "HIGH PERFORMANCE  $\alpha$ -Fe/R<sub>2</sub>Fe<sub>14</sub>B-TYPE NANOCOMPOSITES WITH NOMINAL COMPOSITIONS OF (Nd, La)<sub>9.5</sub>Fe<sub>78-x</sub>Co<sub>x</sub>Cr<sub>2</sub>B<sub>10.5</sub>(x=0-10)"

**J. Magn. Magn. Mater.**, 189(1998) 55. (NSC- 87-2112-M-194-005)

**W. C. Chang\***, D. Y. Chiou, B. M. Ma and C. O. Bounds.

55. " HIGH COERCIVE FORCE  $\alpha$ -Fe/Nd<sub>2</sub>Fe<sub>14</sub>B-TYPE NANOCOMPOSITES"

**J. Magn. Soc. Japan.** 23 (1999) 270 (NSC- 87-2112-M-194-005)

**W. C. Chang\***, D. Y. Chiou, S. H. Wu, B. M. Ma and C. O. Bounds.

56. " THE EFFECTS OF REFRACTORY METAL SUBSTITUTIONS ON THE MAGNETIC PROPERTIES OF  $\alpha$ -Fe/Nd<sub>2</sub>Fe<sub>14</sub>B-TYPE NANOCOMPOSITES"

**IEEE. Trans. Magn.** 35 (1999) 3265 (NSC- 88-2112-M-194-010)

**W. C. Chang\***, S. H. Wang, S. J. Chang, M. Y. Tsai and B. M. Ma.

57. " PHASE EVOLUTION AND MAGNETIC STUDIES OF La AND REFRACTORY METALS COSUBSTITUTED  $\alpha$ -Fe/Nd<sub>2</sub>Fe<sub>14</sub>B-TYPE NANOCOMPOSITES"

**J. Mater. Sci. & Tech.** 16 (2000) 102 (NSC- 88-2112-M-194-010)

**W. C. Chang\***, S. H. Wang, S. J. Chang and Q. Chen.

58. " HIGH COERCIVITY Sr-FERRITE MAGNETIC THIN FILMS INDUCED BY VARIOUS UNDERLAYERS"

**J. Mater. Sci. & Tech.** 16 (2000) 201(NSC- 87-2112-M-194-005)

- W. C. Chang\***, C. T. Lin, T. C. Yen, C. S. Liou and T. T. Shau.
59. "MAGNETIC AND MICROSTRUCTURE STUDIES OF BORON ENRICHED  
(Nd<sub>0.95</sub>La<sub>0.05</sub>)<sub>11</sub>Fe<sub>76.5-x</sub>Co<sub>x</sub>Ti<sub>2</sub>B<sub>10.5</sub> (x=0-15) MELT SPUN RIBBONS"  
**IEEE. Trans. Magn.** 36 (2000) 3312 (NSC- 88-2112-M-194-010)  
**W. C. Chang\***, S. H. Wang, S. J. Chang and Q. Chen
- 60."MÖSSBAUER STUDIES OF MELT-SPUN Pr<sub>2</sub>Fe<sub>14</sub>B RIBBONS"  
**J. Appl. Phys.** 90 (2001)2033 (NSC- 89-2112-M-194-013)  
H. H. Hamdeh, X. Zhang, J. C. Ho, **W. C. Chang**, H. W. Chang and Y. S. Liou
- 61."EFFECT OF Pr ON THE MAGNETIC PROPERTIES OF  $\alpha$ -Fe/Nd<sub>2</sub>Fe<sub>14</sub>B-TYPE  
NANOCOMPOSITES"  
**Bulletin. Powder Metallurgy Asso. China**, 26, 2(2001) 55.  
J. F. Wen, **W. C. Chang**, H. W. Chang and M. D. Lee (NSC- 89-2112-M-194-013)
62. "MAGNETIC PROPERTIES AND PHASE EVOLUTION OF THE NANOCOMPOSITES  
CHANGED FROM  $\alpha$ -Fe/Nd<sub>2</sub>Fe<sub>14</sub>B TO Fe<sub>3</sub>B/ Nd<sub>2</sub>Fe<sub>14</sub>B-TYPE"  
**Bulletin. Powder Metallurgy Asso. China**, 26, 2(2001) 60. (NSC- 89-2112-M-194-013)  
J. F. Wen, **W. C. Chang**, M. D. Lee and H. W. Chang
63. " STUDY OF HIGH PERFORMANCE SINTERED NdFeB MAGNETS"  
**Bulletin. Powder Metallurgy Asso. China**, 26, 3(2001) 164.  
**W. C. Chang**, H. W. Chang, J. H. Chiou and J. J. Mor
- 64."STUDY OF THE SrTiO<sub>3</sub> VARISTORS IN HIGH BREAKDOWN VOLTAGE APPLICATION"  
**Bulletin. Powder Metallurgy Asso. China**, 26, 3(2001) 159.  
J. S. Liou, P. Kuo and **W. C. Chang**
- 65."MAGNETIC PROPERTIES AND MOSSBAUER STUDIES OF Pr-Fe-B-TYPE  
NANOCOMPOSITES"  
**J. Magn. Magn. Mater.**, 239 (2002) 461.  
H. W. Chang, **W. C. Chang\***, M. D. Lee, J. C. Ho, H. H. Hamdeh and X. Zhang.
- 66."PHASE EVOLUTION AND MAGNETIC PROPERTIES OF BORON ENRICHED  
(Nd<sub>0.7</sub>Pr<sub>0.25</sub>La<sub>0.05</sub>)<sub>x</sub>Fe<sub>bal.</sub>Co<sub>10</sub>Ti<sub>2</sub>B<sub>y</sub> (x=10.7-4.5; y=10.9-18.6) NANOCOMPOSITES"  
**J. Magn. Magn. Mater.**, 239 (2002) 433.  
**W. C. Chang\***, J. F. Wen, H. W. Chang, M. D. Lee and B. M. Ma
67. "FABRICATION AND MAGNETIC PROPERTIES OF Nd<sub>11.4</sub>La<sub>0.6</sub>Fe<sub>86-x</sub>M<sub>2</sub>B<sub>x</sub> THICK FILMS  
(M=Ti, Cr; x=10.5, 13.0)"  
**J. Magn. Magn. Mater.**, 239 (2002) 453.  
S. K. Chen, **W. C. Chang** and M. D. Lee

68. “MAGNETIC PROPERTIES OF FePt and Fe<sub>50</sub>Pt<sub>50-x</sub>Nb<sub>x</sub> (x = 0.00, 0.83, 1.31, 2.05) THIN FILMS”  
**J. Magn. Magn. Mater.**, **239 (2002) 471.**  
 S. K. Chen, F. D. Yuan, **W. C. Chang** and T. S. Chin
69. “MAGNETIC AND THERMAL STUDIES OF NANO-SIZE Co AND Fe”  
**J. Magn. Magn. Mater.**, **239 (2002) 249.**  
 Y. D. Yao, Y. Y. Chen, **W. C. Chang** and H. L. Hu
70. “INVESTIGATION OF MAGNETIC PROPERTIES AND PHASE EVOLUTION OF Nd<sub>x</sub>Fe<sub>bal</sub>TiCB<sub>10.5</sub> (X=9, 9.5, 10 AND 11) MELT SPUN RIBBONS”  
**J. Appl. Phys.** **91(2002) 8171**  
**W. C. Chang\***, J. K. Chang, H. W. Chang and B. M. Ma
71. “THE MAGNETIC PROPERTIES, MÖSSBAUER AND AFTEREFFECT STUDIES OF Pr<sub>10</sub>Fe<sub>90-x</sub>B<sub>x</sub> (x=5.88-11.5) NANOCOMPOSITES”  
**J. Appl. Phys.** **93(2003) 4027**  
 H. W. Chang, **W. C. Chang\***, J. C. Ho, M. Unver and H. H. Hamdeh.
72. “MAGNETIC PROPERTIES AND PHASE EVOLUTION OF NANOCOMPOSITE Nd<sub>10</sub>Fe<sub>bal</sub>MCB<sub>10.5</sub> (M=Ti, Nb, V, Cr AND Mo) MELT SPUN RIBBONS”  
**Physica B.** **327 (2003) 296.**  
**W. C. Chang\*** J. K. Chang, H. W. Chang and S. K. Chen
73. “MAGNETIC PROPERTIES AND MÖSSBAUER STUDIES OF Pr<sub>y</sub>Fe<sub>90-y</sub>B<sub>10</sub> (y = 8–11.76) NANOCOMPOSITES”  
**Physica B.** **327(2003) 292.**  
 H. W. Chang, **W. C. Chang\***, J.C. Ho, W.M. Hikal and H.H. Hamdeh
74. “STRUCTURAL AND MAGNETIC PROPERTIES OF Fe-Pt-Nb SPUTTERED FILMS”  
**Physica B.** **327 (2003) 366.**  
 S. K. Chen, F. T. Yuan, G. S. Chen and **W. C. Chang**
75. “MAGNETIC PROPERTIES OF NANOSTRUCTURED TbMn<sub>6</sub>Sn<sub>6</sub> MELT SPUN RIBBONS”  
**IEEE Trans. Magn.** **39(2003) 2875.**  
 C. P. Chen, M. D. Lin, H. W. Chang, C. H. Chiu and **W. C. Chang\***.
76. “MAGNETIC PROPERTY ENHANCEMENT OF MELT-SPUN Pr<sub>2</sub>Fe<sub>23</sub>B<sub>3</sub> RIBBONS WITH DILUTE Ti SUBSTITUTION”  
**Appl. Phys. Lett.** **82(2003) 4513**  
 H. W. Chang, C. H. Chiu and **W. C. Chang\***
77. “MAGNETIC MICROSTRUCTURES OF Pr<sub>y</sub>Fe<sub>90-y</sub>B<sub>10</sub> (y=8-11.76) NANOCRYSTALLINE RIBBONS USING MAGNETIC FORCE MICROSCOPY”

**Chin. Phys. Lett.** **20** (2003) 2033.

Z. Y. Pan, Y. K. Fang, H. W. Chang, S. H. Han, B. S. Han, **W. C. Chang**.

78. "MAGNETIC PROPERTIES ENHANCEMENT OF NANOCRYSTALLINE  $\text{Pr}_2\text{Fe}_{23}\text{B}_3$  MELT SPUN RIBBONS BY REFRACTORY ELEMENTS SUBSTITUTION"

**Trans. Mater. Res. Soc. Jap.** **29** (2004) 1709.

H. W. Chang, C. H. Chiu and **W. C. Chang\***

79. "MAGNETIC PROPERTIES OF Fe-Pt-Mn THIN FILMS"

**J. Magn. Magn. Mater.**, **272** (2004) 1164.

F.T. Yuan, L.S. Lee, S.K. Chen, T.S. Chin, and **W.C. Chang**

80. "PHASE EVOLUTION, MAGNETIC PROPERTIES, AND COERCIVITY MECHANISM OF MELT-SPUN  $\text{Pr}_2\text{Fe}_{14}(\text{C}, \text{B})/\alpha\text{-Fe}$ -TYPE RIBBONS"

**Physica B**, **344** (2004) 201.

W.Y. Zhang, H.W. Chang, C.H. Chiu and **W.C. Chang**

81. "INVESTIGATION OF MAGNETIC PROPERTIES, AFTEREFFECT AND MFM OF  $\text{Pr}_y\text{Fe}_{90-y}\text{B}_{10}$  ( $y = 8-11.76$ ) NANOCOMPOSITES"

**J. Magn. Magn. Mater.** **279** (2004) 149.

H. W. Chang, **W. C. Chang\***, Z Y. Pang, S. H. Han, B. S. Han.

82. "THICKNESS DEPENDENCE OF LONGITUDINAL COERCIVITY IN Fe-Pt-Al THIN FILMS".

**J. Magn. Magn. Mater.** **282** (2004) 198.

S. K. Chen, F. T. Yuan, S. N. Hsiao, H. C. Chang, C. Y. Liou and **W.C. Chang**

83. "IMPROVEMENT ON THE MAGNETIC PROPERTIES OF  $\text{Pr}_{8.5}\text{Fe}_{81.5}\text{B}_{10}$  NANOCOMPOSITES BY REFRACTORY ELEMENTS SUBSTITUTION"

**IEEE Trans. Magn.** **40** (2004) 2871.

H. W. Chang, C. H. Chiu and, **W. C. Chang\***.

84. "EFFECT OF Fe SUBSTITUTIONS BY Ti OR Nb/V/Zr ON THE PHASE STABILITY AND MAGNETIC PROPERTIES OF MELT-SPUN  $\text{Pr}_2(\text{Fe}, \text{M})_{23}\text{B}_3$  RIBBONS ",

**J. Magn. Magn. Mater.** **282** (2004) 186.

C. H. Chiu, H. W. Chang, **W. C. Chang\***.

85. "BENEFICIAL EFFECT OF THE SUBSTITUTION OF Co for Fe ON THE MAGNETIC PROPERTIES OF MELT-SPUN  $\text{Pr}_2\text{Fe}_{14}\text{C}/\alpha\text{-Fe}$ -TYPE NANOCOMPOSITES MAGNETS",

**J. Alloys and Compounds.** **379** (2004) 28.

W. Y. Zhang, H. W. Chang, C. H. Chiu, J. Z. Han and **W. C. Chang**, J. Z. Han.

86. "MAGNETIC PROPERTIES AND PHASE EVOLUTION OF  $\text{PrFeB}$  NANOCOMPOSITES BY REFRACTORY ELEMENTS SUBSTITUTION"

**Physica Status Solidi. 12 (2004) 3394.**

H. W. Chang, C. H. Chiu, **W. C. Chang\*** and S. K. Chen.

87. "EFFECT OF M/C (M=Zr, Nb and Ti) SUBSTITUTION ON THE PHASE EVOLUTION AND MAGNETIC PROPERTIES OF  $\text{Pr}_2\text{Fe}_{23}\text{B}_3$  RIBBONS"

**Physica Status Solidi. 12 (2004) 3389.**

C. H. Chiu, H. W. Chang, **W. C. Chang\*** and Emio Yu

88. "EFFECT OF HIGH TEMPERATURE DIFFUSION ON COERCIVITY ENHANCEMENT IN  $\text{Ll}_0$  Au/FePt THIN FILMS"

**Appl. Phys. Lett. 85 (2004) 3163.**

F. T. Yuan and S. K. Chen, **W. C. Chang** and Lance Horng.

89. "MAGNETIC PROPERTIES, PHASE EVOLUTION AND COERCIVITY MECHANISM OF  $\text{Co}_x\text{Zr}_{98-x}\text{B}_2$  (x=74-86) NANOCOMPOSITES"

**J. Appl. Phys. 97 (2005) 10F307.**

L. Y. Chen, H. W. Chang, C. H. Chiu, C. W. Chang, and **W. C. Chang\***

90. "MAGNETIC PROPERTIES AND MICROSTRUCTURE OF NANOCOMPOSITE  $\text{Pr}_2\text{Fe}_{14}(\text{B,C})/\alpha\text{-Fe}$  MELT SPUN RIBBONS"

**J. Appl. Phys. 97 (2005) 10K309.**

Y. L. Sun, C. H. Chiu, C. W. Chang, H. W. Chang, and **W. C. Chang\***

91. "EFFECT OF BORON ON THE MAGNETIC PROPERTIES AND EXCHANGE COUPLING EFFECT OF FePtB-TYPE NANOCOMPOSITE RIBBONS"

**J. Appl. Phys. 97 (2005) 10N122.**

C. W. Chang, H. W. Chang, C. H. Chiu, and **W. C. Chang\***

92. "Fe-B/FePt-TYPE NANOCOMPOSITE RIBBONS WITH HIGH PERMANENT MAGNETIC PROPERTIES"

**J. Magn. Magn. Mater. 292 (2005) 120.**

C. W. Chang, H. W. Chang, C. H. Chiu, **W. C. Chang** and S. K. Chen

93. "EFFECT OF BORON CONTENT ON THE MAGNETIC PROPERTIES OF  $\text{Pr}_9\text{Fe}_{100-x}\text{Ti}_{2.5}\text{B}_x$  (x=7-15) NANOCOMPOSITES"

**IEEE Tran. Magn. 41 (2005) 3769.**

C. H. Chiu, C. W. Chang, H. W. Chang, **W. C. Chang\***

94. "ENERGY PRODUCT ENHANCEMENT IN  $\text{Fe}_{49-x}\text{Co}_x\text{Pt}_{51}$  THIN FILMS"

**IEEE Tran. Magn. (2005) 3784**

S. K. Chen, S. N. Hsiao, Fu. Te, Yuan and **W. C. Chang**

95. "EFFECT OF Pr CONCENTRATION ON THE MAGNETIC PROPERTIES AND PHASE EVOLUTION OF Ti-SUBSTITUTED  $\text{P}_y\text{Fe}_{88-y}\text{Ti}_2\text{B}_{10}$  NANOCOMPOSITE RIBBONS"

**J. Alloys and Comp. 402 (2005) 269**

H. W. Chang, C. H. Chiu, C. W. Chang, **W. C. Chang\***, Y. D. Yao and A. C. Sun

96. "MAGNETIC AND CRYSTALLINE MICROSTRUCTURES OF Fe-Pt-B NANOCOMPOSITE RIBBONS"

**Chinese Phys. Lett. 22 (2005) 1776.**

Y. K. Fang, C. W. Chang, **W. C. Chang**, A. L. Xia, H. L. Ge and B. S. Han.

97. "COMPOSITION DEPENDENCE OF THE STRUCTURE AND MAGNETIC PROPERTIES OF Pr<sub>2</sub>(Fe, Co)<sub>14</sub>(C, B)-TYPE NANOCOMPOSITES"

**J. Appl. Phys. 98 (2005) 044315.**

A. H. Li, C. H. Chiu, H. W. Chang, **W. C. Chang** and W. Li

98. "MAGNETIC PROPERTIES ENHANCEMENT BY SPUTTERING MAGNETICALLY SOFT FILMS (Co, Fe and Fe<sub>65</sub>Co<sub>35</sub>) ON PrFeB-TYPE PERMANENT MAGNET RIBBONS"

**Surface and Coating Technology 200 (2006) 3366.**

**W. C. Chang\***, C. C. Lin, H. W. Chang, C. H. Chiu, and S. K. Chen

99. "THE EFFECT OF Ti AND C ON THE PHASE EVOLUTION AND MAGNETIC PROPERTIES OF Pr<sub>9</sub>Fe<sub>bal</sub>Ti<sub>x</sub>B<sub>11-y</sub>C<sub>y</sub> (X= 0- 4; Y= 0- 11) NANOCOMPOSITES"

**J. Appl. Phys., 99 (2006) 08B519.**

C. H. Chiu, H. W. Chang, C. W. Chang and **W. C. Chang\***

100. "STUDY ON THE MAGNETIC PROPERTIES, PHASE EVOLUTION AND MICROSTRUCTURE OF Pr<sub>x</sub>Fe<sub>82.2-y</sub>Ti<sub>y</sub>B<sub>17.8-x</sub> (X= 5-11.8; Y= 2.5-5.5) NANOCOMPOSITES"

**J. Magn. Magn. Mater. 303 (2006) e379.**

C. H. Chiu, H. W. Chang, C. W. Chang, and **W. C. Chang\***

101. "MAGNETIC AFTEREFFECT AND MFM STUDIES OF Fe-B/FePt-TYPE NANOCOMPOSITE RIBBONS"

**J. Appl. Phys., 99 (2006) 08B907.**

C. W. Chang, H. W. Chang, C. H. Chiu, **W. C. Chang\***, Y. K. Fang, and B. S. Han

102. "MAGNETIC PROPERTIES, MICROSTRUCTURE AND PHASE EVOLUTION OF (Ce<sub>1-x</sub>Pr<sub>x</sub>)<sub>9.5</sub>Fe<sub>bal</sub>.Co<sub>y</sub>Ti<sub>2</sub>B<sub>10</sub> (X = 0-1 AND Y= 0, 2.5) NANOCOMPOSITES"

**J. Appl. Phys., 99 (2006) 08B518.**

C. H. Chen, C. H. Chiu, H. W. Chang, C. W. Chang, and **W. C. Chang\***

103. "INVESTIGATION OF MAGNETIC PROPERTIES, PHASE EVOLUTION AND MICROSTRUCTURES OF MELT SPUN PrFeTiBC NANOCOMPOSITES"

**J. Alloys and Comp., 424 (2006) 376.**

C. H. Chiu, H. W. Chang, C. W. Chang, **W. C. Chang\***

104. "EFFECT OF SUBSTITUTION OF REFRACTORY ELEMENTS FOR FE ON THE

MAGNETIC PROPERTIES OF MELT-SPUN  $\text{Pr}_{9.5}\text{Fe}_{80.5}\text{B}_{10}$  NANOCOMPOSITES”

**J. Alloys and Comp., 407 (2006) 53.**

H. W. Chang, C. H. Chiu, C. W. Chang, C. H. Chen, **W. C. Chang\***, Y. D. Yao, and A. C. Sun

105. “STRUCTURAL AND MAGNETIC PROPERTIES OF NANOSTRUCTURED  $\text{Tb}(\text{Mn}_{1-y}\text{T}_y)_6\text{Sn}_6$  (T = Fe, Co and Ni) MELT SPUN RIBBONS”

**J. Magn. Magn. Mater. 304 (2006) e225.**

C. P. Chen, H. W. Chang, C. H. Chiu, **W. C. Chang\***, and S. W. Chen

106. “EFFECT OF Fe/Pt RATIO ON THE MAGNETIC PROPERTIES AND CORROSION BEHAVIOR OF NANOCOMPOSITE  $\text{FePtB}$  RIBBONS”

**J. Magn. Magn. Mater. 303 (2006) e359.**

C. W. Chang, H. W. Chang, C. H. Chiu, and **W. C. Chang\***

107. “EFFECT OF Ti SUBSTITUTION ON THE MAGNETIC PROPERTIES, MICROSTRUCTURE, AND AFTEREFFECT OF MELT SPUN  $\text{PrFeB}$  NANOCOMPOSITES”

**Scripta Materialia. 55 (2006) 529.**

H. W. Chang, C. H. Chiu, C. W. Chang, **W. C. Chang\***, A. C. SUN and Y. D. Yao

108. “MAGNETIC AND CRYSTALLINE MICROSTRUCTURES OF Fe-B/ $\text{FePt}$ -TYPE NANOCOMPOSITE RIBBONS WITH HIGH PERMANENT MAGNETIC PROPERTIES”

**J. Magn. Magn. Mater. 305 (2006) 336**

A. L. Xia, H. L. Ge, C. W. Chang, **W. C. Chang** and B. S. Han

109. “ENERGY PRODUCT ENHANCEMENT OF  $\text{CoPt}$  FILMS BY THE ALLOY ADDITION Of Ti.”

**J. Magn. Magn. Mater. 304 (2006) c255.**

W. M. Liao, S.K. Chen, F.T. Yuan, C.W. Hsu, S.N. Hsiao and **W.C. Chang**

110 “VERY HIGH COERCIVITIES OF TOP-LAYER DIFFUSION  $\text{Au/FePt}$  THIN FILMS.”

**J. Magn. Magn. Mater. 304 (2006) c109.**

F.T. Yuan, S.K. Chen, W.M. Liao, C.W. Hsu, S.N. Hsiao and **W.C. Chang**

111. “COMPARISON ON THE PHASE EVOLUTION AND MAGNETIC PROPERTIES OF DIRECT-QUENCHED  $\text{Pr}_{8.5}\text{Fe}_{79.5}\text{M}_2\text{B}_{10}$  ribbons (M = Cr, Nb, Ti, V, and Zr)”

**J. Magn. Magn. Mater. 304 (2006) e216.**

H.W. Chang, C.H. Chiu, C.W. Chang, C.H. Chen, **W.C. Chang\***, and Y.D. Yao

112. "EFFECT OF C ON THE PHASE EVOLUTION, MICROSTRUCTURE, AND MAGNETIC PROPERTIES OF  $\text{Pr}_2\text{Fe}_{14}\text{B}$ -TYPE NANOCOMPOSITES"  
**J. Iron and Steel Research 13 (2006) 136.**  
 C. H. Chiu, H. W. Chang, C. W. Chang, W. Y. Zhang and **W. C. Chang\***
113. "INVESTIGATION OF STRUCTURE AND MAGNETIC PROPERTIES OF RARE EARTH-LEANED  $\text{Pr}_2(\text{Fe}, \text{Co})_{14}(\text{B}, \text{C})$ -TYPE NANOCOMPOSITES"  
**J. Iron and Steel Research 13 (2006) 209.**  
 Li An-Hua, C. H. Chiu, H. W. Chang, **W. C. Chang**, Wang Hui-jie and Li Wei
114. "MAGNETIC PROPERTIES AND MICROSTRUCTURE OF  $(\text{Fe}_{0.5+y}\text{Pt}_{0.5-y})_z\text{B}_{100-z}$  ( $y=0-0.2$ ;  $z=82$  and  $84$ ) MELT SPUN RIBBONS"  
**J. Iron and Steel Research 13 (2006) 273.**  
 C. W. Chang, H. W. Chang, C. H. Chiu, C. H. Chen, **W. C. Chang\***, H. Ouyang and C. C. Lin
115. "INVESTIGATION OF MAGNETIC PROPERTIES, PHASE EVOLUTION, AND MICROSTRUCTURE OF MELT SPUN  $\text{PrFeTiBC}$  NANOCOMPOSITES"  
**J. Alloys and Comp. 424 (2006) 376.**  
 C. H. Chiu, H. W. Chang, C. W. Chang and **W. C. Chang\***
116. "EFFECT OF  $\text{GePt}$  BUFFER LAYER ON THE MAGNETIC PROPERTIES AND MICROSTRUCTURE OF  $\text{FePt}$  FILMS"  
**J. Magn. Magn. Mater. 303 (2006) e258.**  
 J. L. Tsai, C. J. Hsu, Y. H. Pai, F. S. Shieu, C. W. Hsu, S. K. Chen and **W. C. Chang**
117. "MAGNETIC PROPERTIES AND MICROSTRUCTURE OF  $x/\text{FePt}$  ( $x=\text{Ge}, \text{GePt}$ ) BILAYER"  
**J. Magn. Magn. Mater. 304 (2006) e65.**  
 C. J. Hsu, J. L. Tsai, C. W. Hsu, S. K. Chen and **W. C. Chang**
118. "THE EFFECT OF  $\text{GePt}$  UNDERLAYER ON  $\text{L}_{10}$  ORDERING  $\text{FePt}$  THIN FILMS"  
**IEEE Tran. Magn. 42 (2006) 2900.**  
 C. J. Hsu, J. L. Tsai, C. W. Hsu, S. K. Chen and **W. C. Chang**
119. "MAGNETIC PROPERTIES AND PHASE EVOLUTION OF DIRECTLY QUENCHED  $(\text{Co}_{40}\text{Fe}_{22}\text{Nb}_6\text{Zr}_2\text{B}_{30})_{98}\text{M}_2$  ( $\text{M}=\text{Cr}, \text{Cu}, \text{Sn}, \text{Dy}, \text{Pr}$  and  $\text{Ta}$ ) RIBBONS WITH CRYSTALLIZATION TREATMENTS"  
**J. Magn. Magn. Mater. 304 (2006) e210**  
 C. Hsu, J. K. Nieh, H. W. Chang, C. M. Tseng, **W. C. Chang** and Y. D. Yao
120. "COMPLETE SUPPRESSION OF METASTABLE PHASE AND SIGNIFICANT ENHANCEMENT OF MAGNETIC PROPERTIES OF B-RICH  $\text{PrFeB}$  NANOCOMPOSITES PREPARED BY DEVITRIFYING AMORPHOUS RIBBONS"

- J. Magn. Magn. Mater. 308 (2007) 24.**  
W. Y. Zhang, C. H. Chiu, L. C. Zhang, K. Biswas, H. Ehrenberg, **W. C. Chang** and J. Eckert
121. “THE EFFECT OF ANNEALING TIME ON THE MAGNETIC PROPERTIES AND MICROSTRUCTURE OF  $(\text{Fe}_{0.675}\text{Pt}_{0.325})_{84}\text{B}_{16}$  RIBBONS”  
**J. Magn. Magn. Mater. 310 (2007) 2593.**  
C. W. Chang, H. W. Chang, C. H. Chiu, C. H. Chen, **W. C. Chang\***, H. Ouyang and C. C. Lin
122. “PHASE EVOLUTION AND MAGNETIC PROPERTIES OF  $\text{Pr}_x\text{Fe}_{82-x-y}\text{Ti}_y\text{B}_4\text{C}_4$  ( $x=9-10.5$ ;  $y=0, 2$ ) NANOCOMPOSITES”  
**J. Alloys and Comp. 437 (2007) 197**  
A. H. Li, C. H. Chiu, H. W. Chang, **W. C. Chang** and W. Li
123. “Magnetic properties, phase evolution, and coercivity mechanism of Pr-Fe-Ti-B based nanocomposites with Co/C cosubstitution”,  
**Scripta Mater. 56 (2007) 429.**  
C. H. Chiu, H. W. Chang, C. W. Chang, and **W. C. Chang\***.
124. “Magnetic properties, phase evolution, and microstructure of melt spun  $\text{SmCo}_{7-x}\text{Hf}_x\text{C}_y$  ( $x = 0-0.5$ ;  $y = 0-0.14$ ) ribbons”  
**J. Appl. Phys. 101 (2007) 09k508.**  
H.W. Chang, S.T. Huang, C.W. Chang, C.H. Chiu, **W.C. Chang\***, A.C. Sun, Y.D. Yao
125. “Coercivity enhancement of melt spun FePt ribbons by Au addition”,  
**J. Appl. Phys. 101 (2007) 09k514.**  
C.W. Chang, H.W. Chang, C.H. Chiu, **W.C. Chang\***
126. “Comparison on the magnetic properties and phase evolution of melt-spun  $\text{SmCo}_7$  ribbons with Zr and Hf substitution”  
**Scripta Mater. 56 (2007) 1099.**  
H.W. Chang, S.T. Huang, C.W. Chang, C.H. Chiu, **W.C. Chang\***, A.C. Sun, and Y.D. Yao
127. “Inductive magnetization of low temperature ordered  $\text{L1}_0$ -FePt with CoAg underlayer”  
**J. Appl. Phys. 101 (2007) 053913.**  
Y. C. Lai, Y. H. Chang, Y. C. Chen, C. H. Liang, **W. C. Chang**, C. M. Chiou, G. J. Chen
128. “Large low-field magnetocaloric effect in  $\text{MnCo}_{0.95}\text{Ge}_{1.14}$  alloy”  
**Scripta Mater. 57 (2007) 453.**  
Y. K. Fang, C. C. Yeh, C. W. Chang, **W. C. Chang\***, M. G. Zhu and W. Li
129. “Development of high performance  $\text{Pr}_2(\text{Fe, Co})_{14}\text{B}$ /  $\alpha$ -(Fe, Co)-type nanocomposite ribbons by Co/Ti/C substitution”  
**Phys. Scripta. 56 (2007) 429.**  
C. H. Chiu, C. H. Chen, C. W. Chang, **W. C. Chang\***, H. W. Chang

130. "The role of nonmagnetic phases in improving the magnetic properties of devitrified  $\text{Pr}_2\text{Fe}_{14}\text{B}/(\text{Fe}_3\text{B}, \alpha\text{-Fe})$  nanocomposites"  
**Mater. Sci. Eng. B, 149 (2008) 73.**  
W. Y. Zhang, M. Stoica, H. W. Chang, M. Calin, R. Schierholz, **W. C. Chang**, J. Eckert
131. "INVESTIGATION OF MAGNETIC PROPERTIES, PHASE EVOLUTION, AND MICROSTRUCTURE OF  $\text{Fe}_{56.7}\text{Pt}_{25.3}\text{M}_2\text{B}_{16}$  (M=Ta, Nb, Ti, and Zr) MELT SPUN RIBBONS"  
**J. Alloys and Comp. 449 (2008) 15**  
C. W. Chang, H. W. Chang, C. H. Chiu, and **W. C. Chang\***
132. "MAGNETIC ENHANCEMENT OF  $\text{PrFeB}$  RIBBONS BY THE EFFECT OF LAMINATED MAGNETICALLY SOFT THIN FILMS"  
**J. Alloys and Comp. 449 (2008) 11**  
C. C. Lin, H. W. Chang, C. H. Chiu, and **W. C. Chang\***
133. "EFFECT OF Pt UNDERLAYER ON THE COERCIVITY OF  $\text{FePt}$  SPUTTERED FILM."  
**J. Alloys and Comp. 449 (2008) 52**  
C.W. Hsu, S.K. Chen, W.M. Liao, F.T. Yuan, **W.C. Chang**, and J.L. Tsai
134. "Magnetic properties and microstructure of directly quenched  $\text{Nd}_{9.5}\text{Fe}_{75.5-x}\text{M}_x\text{B}_{15}$  (M=Mo, Nb, Ta, Ti, V, and Zr;  $x=0-4$ ) bulk magnets"  
**J. Appl. Phys. 103 (2008) 07E105.**  
H.W. Chang, M.F. Shih, C.W. Chang, C.C. Hsieh, Y.K. Fan, **W.C. Chang\***, and A.C. Sun
135. "Magnetic properties, phase evolution, and microstructure of melt spun  $(\text{Sm}_{1-x}\text{Pr}_x)\text{Co}_{7-y}\text{Hf}_y\text{C}_z$  ( $x = 0-1$ ;  $y = 0.1-0.3$ ;  $z = 0-0.14$ ) ribbons"  
**J. Appl. Phys. 103 (2008) 07E112.**  
H.W. Chang, I.W. Chen, C.W. Chang, C.C. Hsieh, Y.K. Fang, **W.C. Chang\***, A.C. Sun and Y.D. Yao
136. "Magnetic properties improvement of Pt-lean  $\text{FePt/Fe-B}$  type nanocomposites by Co substitution"  
**J. Appl. Phys. 103 (2008) 07E133.**  
C.W. Chang, H.W. Chang, C. H. Chiu, C.C. Hsieh, Y.K. Fang and **W.C. Chang\***
137. "Microstructure and magnetocaloric effect of melt-spun  $\text{Y}_2\text{Fe}_{17}$  ribbons"  
**J. Appl. Phys. 103 (2008) 07B302.**  
Y. K. Fang, C. W. Chang, C. C. Yeh, H. W. Chang, W. Li and **W. C. Chang\***
138. "Structures and magnetic properties of Ti-substituted  $\text{Pr}_2(\text{Fe}, \text{Co})_{14}(\text{B}, \text{C})$ -type nanocomposites"

- J. Appl. Phys.** **103** (2008) 07E102.  
A. H. Li, C. H. Chiu, H. W. Chang, W. C. Chang, M. Yue and W. Li
139. “Magnetic properties, phase evolution and microstructure of directly quenched Pr-Fe-B-Nb magnets”  
**Scripta. Mater.** **59** (2008) 227 (SCI: IF 2.228)  
H.W. Chang, M. F. Shih, C.W. Chang, C.C. Hsieh, Y.T. Cheng, W.C. Chang\*, A.C. Sun and Y.D. Yao
140. “Effect of C addition on the magnetic properties, phase evolution and microstructure of melt spun  $\text{SmCo}_{7-x}\text{Hf}_x$  ribbons”  
**Solid State Communications.** **147** (2008) 69.  
H.W. Chang, S. T Huang, C.W. Chang, W.C. Chang\*, A.C. Sun and Y.D. Yao
141. “Magnetic properties, microstructure and phase evolution of  $\text{Pr}_x\text{Fe}_{\text{bal.}}\text{Ti}_y\text{B}_{20-x}$  ( $x=4-9$ ;  $y=2.5-5$ ) nanocomposites”  
**J. Magn. Magn. Mater.,** **320** (2008) 2079  
C. H. Chiu, H. W. Chang, C. W. Chang, W. C. Chang\*
142. “Magnetic microstructures of phase-seperated Sm-Co 2 :17-type sintered magnets”  
**J. Alloys and Comp.,** **462** (2008) 376  
Y. K. Fang, H. W. Chang, Z. H. Guo, T. Liu, X. M. Li, W. Li, W. C. Chang and B. S. Han
143. “Glass formability and soft magnetic properties of bulk Y-Fe-B-Ti metals”  
**J. Alloys and Comp.,** **462** (2008) 68  
H. W. Chang, Y. C. Huang, C. W. Chang, C. H. Chiu and W. C. Chang\*
144. “ Effect of additives on the magnetic properties and microstructure of melt spun  $\text{SmCo}_{6,9}\text{Hf}_{0,1}\text{M}_{0,1}$  (M=B, C, Nb, Si, Ti) ribbons”  
**J. Alloys and Comp.,** **455** (2008)506  
H. W. Chang, S. T. Huang, C. W. Chang, C. H. Chiu, I. W. Chen, W. C. Chang\*, A. C. Sun and Y. D. Yao
145. “High magnetic properties of  $\text{TbCu}_7$ -type melt spun  $(\text{Sm}, \text{Pr})\text{Co}_{7-x}\text{Hf}_x\text{C}_y$  ribbons”

**Func. Mater. Lett. 3 (2008) 183**

H.W. Chang, S. T. Huang<sup>1</sup>, I.W. Chen<sup>1</sup>, C. W. Chang<sup>1</sup> and **W.C. Chang**\*

146. “Magnetic properties and crystallographic structure of Fe<sub>3</sub>Pt thin films”

**IEEE Trans Magn. Magn. 44 (2008) 3902**

S. N. Hsiao, S. K. Chen, Y. W. Shu, F. T Yuan, H. W. Hwang, T. S. Chin, **W. C. Chang** and

H. Y. Lee

147. “Soft magnetic properties and glass formability of Y-Fe-B-M bulk metals (M=Al, Hf, Nb, Ta and Ti)

**J. Alloys and Comp., 472 (2009)166**

H. W. Chang, Y. C. Huang, C. W. Chang, C. C. Hsieh and **W. C. Chang**\*

148. “Crystal structure and magnetic properties of melt spun Sm(Co, V)<sub>7</sub> ribbons”

**J. Appl. Phys. 105 (2009)07A705**

C.C. Hsieh, H.W. Chang, C.W. Chang, Z.H. Guo, C.C. Yang and **W.C. Chang**\*

149. “The magnetocaloric effect in Fe-Zr-B-M (M=Mn, Cr, Co) amorphous systems”

**J. Appl. Phys. 105 (2009) 07A910**

Y. K. Fang, C. C. Yeh, C. C. Hsieh, C. W. Chang<sup>1</sup>, **W. C. Chang**\*, X. M. Li, and W. Li

150. “High magnetic properties of nanocomposite ribbons made with Mischmetals-Fe-Co-Ti-B alloys”

**J. Appl. Phys. 105 (2009) 07A704**

H.W. Chang, C.H. Chen, C.W. Chang, C.C. Hsieh, Z.H. Guo, and **W.C. Chang**\*,

151. “Effect of B content on the magnetic properties, phase evolution, and aftereffect of nanocrystalline FeCoPtB ribbons”

**J. Appl. Phys. 105 (2009)07A746**

C. W. Chang, H. W. Chang, C. C. Hsieh, Z. H. Guo, **W. C. Chang**\*

152. “Improvement of size and magnetic properties of Nd<sub>9.5</sub>Fe<sub>72.5</sub>Ti<sub>3</sub>B<sub>15</sub> bulk magnets by Zr or Nb substitution for Ti”

**J. Appl. Phys. 105 (2009) 07A742**

- H.W. Chang, Y.T. Cheng, C.W. Chang, C.C. Hsieh, Z.H. Guo, **W.C. Chang\***, and A.C. Sun
153. “Magnetic properties, phase evolution and structure of melt-spun  $\text{SmCo}_{7-x}\text{Nb}_x$  ( $x=0-0.6$ ) ribbons”  
**J. Appl. Phys.** **105** (2009) 07A731  
 Z.H. Guo, H. W. Chang, C. W. Chang, C. C. Hsieh, A. C. Sun, **W. C. Chang\***, W. Pan, and W. Li
- 154 “Phase evolution and magnetic properties of  $\text{TbCu}_7$ -typed  $(\text{Sm}, \text{Pr})\text{Co}_{7-x}\text{Hf}_x\text{M}_y$  ( $x=0-0.5$ ;  $y=0-0.14$ ) ribbons”  
**Int. J. Mod. Phys. B** **23**(2009) 1663  
 H.W. Chang, S. T. Hwang, I. W. Chen, C. W. Chang, **W. C. Chang\***
- 155 “Magnetic properties, nanostructure and ordering kinetics of FePtCu thin films”  
**Int. J. Mod. Phys. B** **23**(2009) 1652  
 G. J. Chen, Y. H. Shih, J. S. C Jang and **W. C. Chang**
- 156 “Structure, magnetic properties and magnetocaloric effect of  $\text{MnCo}_{1-x}\text{Ge}$  ( $0.02 \leq x \leq 0.2$ )  
 Yi-Kun Fang, Jia-Chun Yeh, **Wen-Cheng Chang**, Xiu-Mei Li and Wei Li  
**J. Magn. Mater.**, **321** (2009) 3053
157. “Magnetic properties and crystal structure of melt spun  $\text{Sm}(\text{Co}, \text{M})_7$  ( $\text{M} = \text{Hf}, \text{V}, \text{Nb},$  and  $\text{Ta}$ ) ribbons”  
 H.W. Chang, C.C. Hsieh, Z. H. Guo, S. T. Hwang, **W.C. Chang\***  
**Mod. Phys. Lett. B**, **23**, No. 31&32 (2009) 3707.
158. “Development of bulk  $\text{Nd}_{9.5}\text{Fe}_{75.5-x}\text{M}_x\text{B}_{15}$  ( $\text{M} = \text{Mo}, \text{Nb}, \text{Ta}, \text{Ti},$  and  $\text{Zr}$ ;  $x=0-4$ ) magnets by direct casting method”  
 H. W. Chang, M. F. Shih, C. C. Hsieh, **W. C. Chang\***  
**J. Alloys and Comp.**, **484** (2009)143
159. “Magnetic property enhancement of directly quenched Nd-Fe-B bulk magnets with Ti substitution”  
 H. W Chang, M. F. Shih, C. C. Hsieh, **W. C. Chang**, C. Y. Chen  
**J. All. and Comp.**, **489** (2010) 499
160. “Thermal stability and magnetocaloric effect of the  $\text{Gd}_{65}\text{Fe}_{20}\text{Al}_{15-x}\text{B}_x$  ( $x=0-7$ ) glassy ribbons”  
 Y. K. Fang, C. H. Lai, C. C. Hsieh, X. G. Zhao, H. W. Chang, **W. C. Chang\*** and W. Li  
**J. Appl. Phys.**, **107** (2010) 09A901
161. “Crystal structure and magnetic properties of melt spun  $\text{SmCo}_{7-x}\text{M}_x$  ( $\text{M} = \text{Ta}, \text{Cr},$  and  $\text{Mo}$ ;

x = 0-0.6) ribbons”

C.C. Hsieh, H.W. Chang, Z.H. Guo, C. W. Chang, X.G. Zhao, W.C. Chang\*

**J. Appl. Phys., 107 (2010) 09A738**

162. “Magnetic properties, phase evolution, and microstructure of melt spun

Sm(Co, M)<sub>x</sub>C<sub>y</sub> (M = Hf and Zr; x=5-9; y=0-0.15) ribbons”

H.W. Chang, C.S. Guo, C.C. Hsieh, Z.H. Guo, X.G. Zhao, W.C. Chang\*

**J. Appl. Phys., 107 (2010) 09A710**

163. “Effects of C and Cr contents on the magnetic properties and microstructure of directly quenched NdFeTiZrCrBC bulk magnets”

H.W. Chang, J.Y. Gan, C.C. Hsieh, X.G. Zhao, W.C. Chang\*

**J. Appl. Phys., 107 (2010) 09A740**

164 “Enhancement of coercivity for melt-spun SmCo<sub>7-x</sub>Ta<sub>x</sub> ribbons with Ta addition”

Z.H. Guo, C. C. Hsieh · H. W. Chang · W. Pan, A. H. Li, , W. C. Chang, and W. Li

**J. Appl. Phys., 107 (2010) 09A705**

165 “Effect of V and C contents on the magnetic properties and phase evolution of melt spun SmCo<sub>7-x</sub>V<sub>x</sub>C<sub>y</sub> (x=0-0.6; y=0-0.1) ribbons”

C.C. Hsieh, H.W.Chang, C.W.Chang, W.C. Chang\*

**Phys. Scr. T139 (2010) 014028**

166. “A study of magnetic properties and high frequency characteristics of FeCo/FeCoB bilayer films.”

C.C. Hsieh, H.W.Chang, C.W.Chang, W.C. Chang\* and C. C. Yang

**Phys. Scr. T139 (2010) 014031**

167. “Effects of annealing on the magnetic entropy change and exchange bias behavior in melt spun Ni-Mn-In ribbons”

X. G. Zhao, C. C. Hsieh, J. H. Lai, X. J. Cheng, W. C. Chang\*, W. B. Cui, W. Liu, Z. D. Zhang

**Script. Materiala, 63 (2010) 250**

168. “Comparison on the magnetic properties and microstructure of directly cast Nd-Fe-Ti-B and Nd-Fe-Ti-Zr-Cr-B-C rod magnets with various diameters”

H.W. Chang, J.Y. Gan, C.C. Hsieh, W.C. Chang\*

**Mater. Lett. 64 (2010) 2468**

169. “Composition dependence of magnetic properties of directly quenched Nd-Fe-Ti-Zr-B bulk magnets”

H.W. Chang, Y.T. Cheng, C.C. Hsieh, W.C. Chang\*, A.C. Sun

**J. Alloy. Comp. 509 (2011) 1249**

170. “Magnetic properties and high frequency characteristics of sputtered FeAl and FeAlB”  
C. C. Hsieh, M. Y. Jian, H. W. Chang, X. G. Zhao, **W. C. Chang\***  
**J. Phys. Conference Series 266 (2011) 012031**
171. “Magnetocaloric effect of the Gd-LRE-Al-(Co, Fe) (LRE=La, Ce, Pr, Nd) glassy ribbons in the intermediate temperature”  
Y K Fang, C H Lai, C C Hsieh, X G Zhao, H W Chang, **W C Chang\*** and W. Li  
**J. Phys. Conference Series 266 (2011) 012002**
172. “Effects of Si substitution on phase transformation and exchange bias in Ni-Mn-In ribbons”  
X G Zhao, C C Hsieh, **W C Chang\***, W Liu and Z D Zhang  
**J. Phys. Conference Series 266 (2011) 012128**
173. “Significant changes in crystallization kinetics of Nd<sub>2</sub>Fe<sub>14</sub>B/ $\alpha$ -Fe nanocomposites induced by Nb addition”  
C Wang, **W C Chang**  
**J. Phys. Conference Series 266 (2011) 012047**
174. “The influence of Si addition on the glass forming ability, magnetic and magnetocaloric properties of the Gd-Fe-Al glassy ribbons”  
X. G. Zhao, J. H. Lai, C. C. Hsieh, Y. K. Fang, **W. C. Chang\***, and Z. D. Zhang  
**J. Appl. Phys. 109 (2011) 07A911**
175. “Magnetic properties and microstructure of bulk Nd-Fe-B magnets solidified in magnetic field”  
C. Wang, Y. S. Lai, C. C. Hsieh, **W. C. Chang\***, H. W. Chang, and A. C. Sun  
**J. Appl. Phys. 109 (2011) 07A715**
176. “Structures and magnetocaloric effects of Gd<sub>65-x</sub>RE<sub>x</sub>Fe<sub>20</sub>Al<sub>15</sub> (x=0–20; RE=Tb, Dy, Ho, and Er) ribbons”  
Y. K. Fang, H. C. Chen, C. C. Hsieh, H. W. Chang, X. G. Zhao, **W. C. Chang\***, and W. Li  
**J. Appl. Phys. 109 (2011)07A933**
177. “Effect of Ge on the magnetic properties and crystal structure of melt spun SmCo<sub>7-x</sub>Ge<sub>x</sub> ribbons”  
C.C. Hsieh, H.W. Chang, X.G. Zhao, A.C. Sun, , **W.C. Chang\***  
**J. Appl. Phys. 109 (2011) 07A730**
178. “The microstructures and magnetic properties of SmCo<sub>5</sub> /SmCo<sub>7</sub> /SmCo<sub>6,7</sub>Zr<sub>0,3</sub>”  
Y. Y. Chen, C. C. Hsieh, S. C. Lo, **W. C. Chang**, H. W. Chang, and H. Ouyang  
**J. Appl. Phys. 109 (2011) 07A748.**

179. “Magnetic Properties, Phase Evolution, and Microstructure of Melt Spun Hf-Substituted  $\text{Sm}(\text{Co}_{0.97}\text{Hf}_{0.03})_x\text{C}_y$  ( $x = 5-9$ ;  $y = 0-0.1$ ) Nanocomposites”

H.W. Chang, C.S. Guo, C.C. Hsieh, **W. C. Chang\***

**J. Nanosci. Nanotech., 11 (2011) 2722**

180. “Effect of Dopants on the Soft Magnetic Properties and High Frequency Characteristics of FeCoBM ( $M = \text{Ti}, \text{Nb}, \text{Hf}, \text{and Ta}$ ) Thin Films”

C. C. Hsieh, T. H. Lin, H. W. Chang, C. W. Chang, **W. C. Chang\***, and C. C. Yang

**J. Nanosci. Nanotech., 11 (2011)2752**

181. “Magnetic Properties of Melt Spun Mischmetals-Fe-Ti-B Nanocomposite Ribbons”

H. W. Chang, C. H. Chen, C. C. Hsieh, and **W. C. Chang\***

**J. Nanosci. Nanotech. 11 (2011) 2756**

182. “Alloying effect on the magnetic properties of RFeB-type bulk magnets”

H W Chang, C C Hsieh, J Y Gan, Y T Cheng, M F Shih and **W C Chang\***

**J. Phys. D: Appl. Phys., 44 (2011) 064002**

183. “Magnetic properties and crystal structure of melt spun  $\text{SmCo}_{7-x}\text{Sn}_x$  ( $x=0-0.6$ ) ribbons”

C.C. Hsieh, H.W. Chang, A.C. Sun, **W.C. Chang\***, P. Kuo

**IEEE. Trans. Mgn. Magn. 47 (2011) 3332.**

184. “Bulk nanocrystalline Nd-Fe-B magnets solidified in magnetic field with various surface area-to-volume ratios”

C. Wang, Y. S. Lai, C. C. Hsieh, **W.C. Chang\***, H.W. Chang, A. C. Sun

**IEEE. Trans. Mgn. Magn. 47 (2011) 3263.**

185. “High magnetic anisotropy field in CoZr thin films”

H.W. Chang, M.H. Wu, C.C. Hsieh, **W.C. Chang\***, and D. S. Xue

**IEEE. Trans. Mgn. Magn. 47 (2011) 3924.**

186. “Magnetocaloric and electrical properties in annealed Si-doped Ni-Mn-In Heusler alloy ribbons”

X. G. Zhao, J. L. Yang, X. W. Wang, C. C. Hsieh, **W. C. Chang\***, W. Liu, Z. D. Zhang

**IEEE. Trans. Mgn. Magn. 47 (2011) 2455.**

187. “Study on the soft magnetic properties and high frequency characteristics of Co-M ( $M=\text{Ti}, \text{Zr}, \text{and Hf}$ ) thin films”

H.W. Chang, Y.H. Huang, C.C. Hsieh, C.W. Shih, **W.C. Chang\*** and D.S. Xue

**J. Appl. Phys. 111 (2012) 07A333**

188. “Magnetic properties and crystal structure of melt spun  $\text{Sm}(\text{Co}, \text{M})_7$  ( $M=\text{Al and Si}$ ) ribbons”

- C.C. Hsieh, C.W. Shih, Z. Liu, **W.C. Chang\***, H.W. Chang, A.C. Sun and C. C. Shaw  
**J. Appl. Phys. 111 (2012) 07E306**
189. “The phase evolution and magnetocaloric effect of melt spun  $Mn_3Sn_{2-x}M_x$  (M=B, C; x=0-0.5) ribbons”  
 X. G. Zhao, E. H. Lee, C. C. Hsieh, C. W. Shih, **W. C. Chang\*** and Z. D. Zhang  
**J. Appl. Phys. 111 (2012) 07A912**
190. “Sputter-prepared  $BiFeO_3(001)$  films on  $L1_0 FePt(001)$ /glass substrates”  
 H. W. Chang F. T. Yuan, C. W. Shih, C. R. Wang, **W. C. Chang**, and S. U. Jen  
**J. Appl. Phys. 111 (2012) 07D918**
191. “Exchange bias in sputtered FM/ $BiFeO_3$  thin films (FM=Fe and Co)”  
 H. W. Chang, F. T. Yuan, C. W. Shih, W. L. Li, P. H. Chen, C. R. Wang,  
**W. C. Chang**, and S. U. Jen  
**J. Appl. Phys. 111 (2012) 07B105**
192. “Magnetic properties, phase evolution, and microstructure of melt spun  $Sm(Co_{1-z}Zr_z)_x C_y$  (x=5–9; y=0–0.15; z=0.03 and 0.06) ribbons”  
 H.W. Chang\*, C.S. Guo, C.C. Hsieh, **W.C. Chang\***  
**J. Magn. and Magn. Mater., 324 (2012) 1006**
193. “Improvement of magnetic properties and size of directly cast Nd-Fe-B bulk magnets by Ti/Zr cosubstitutions”  
 H.W. Chang, Y.T. Cheng, C.C. Hsieh, **W.C. Chang\***  
**J. Mater. Tech. 27 (2012) 98**
194. “Magnetic properties, phase evolution and microstructures of melt spun  $Sm(Co_{0.97}Ti_{0.03})_x C_y$  (x=5-9; y=0-0.01) ribbons”  
 H.W. Chang\*, C. S. Guo, C.C. Hsieh, **W.C. Chang\***  
**J. Phys. and Chem. of Solids 73 (2012) 13**
195. “Effect of Co addition on the microstructure and magnetic properties of  $Nd_{9.5}Fe_{bal}Co_xNb_{2.5}Zr_{0.5}B_{15}$  (x = 0, 10, 20) bulk magnets”  
 Z. Liu, W.C. Lin, C.W. Shih, C.C. Hsieh, H.W. Chang, **W.C. Chang**, A.R. Yan  
**J. All. Comp. 538 (2012) J. All. Comp. 538 (2012) 28**
196. “Magnetic properties and high frequency characteristic of obliquely sputtered Co–M (M = V and Nb) thin films”  
 H.W. Chang\*, Y.H. Huang, C.C. Hsieh, C.W. Shih, **W.C. Chang\*** and D.S. Xue  
**J. All. Comp. 539 (2012) 276**
197. “The effect of B doping on the martensitic transitions, magnetocaloric and magnetic properties in  $Ni_{48}Mn_{39}In_{13-x}B_x$  ribbons

- Xinguo Zhao, Bo Li, Chih-chieh Hsieh, **Wen-cheng Chang\***, Wei Liu, Zhidong Zhang  
**IEEE Tran. Magn. Magn.** 48 (2012) 3742
198. “Magnetostriction and DE effect of melt-spun  $(\text{Fe}_{81-x}\text{Co}_x\text{Ga}_{19})_{80}\text{B}_{20}$  ribbons”  
 S. U. Jen\* S. P. Wang, **W. C. Chang**, and H. W. Chang  
**J. Appl. Phys.** 112 (2012) 053904
199. “Sputter-prepared (001)  $\text{BiFeO}_3$  thin films with ferromagnetic L10-FePt(001) electrode on glass substrates”  
 H. W. Chang, F. T. Yuan, C. W. Shih, C. S. Ku, P. H. Chen, C. R. Wang,  
**W. C. Chang**, S. U. Zen, H. Y. Lee  
**Nano. Res. Lett.**, 7 (2012) 435.
200. “Magnetic properties, phase evolution, and microstructure of directly cast Nd–Fe–Nb–Sn–B bulk magnets”  
 H. W. Chang, W. C. Lin, C. W. Shih, C. C. Hsieh and **W. C. Chang\***  
**J. All. and Comp.** 545 (2012) 231
201. “Magnetic properties, phase and microstructure of direct cast  $\text{Nd}_{9.5}\text{Fe}_{\text{bal.}}\text{Co}_{10}\text{MB}_{15}$  rod magnets”  
 Z. Liu, C.C. Hsieh, R.J. Chen, W.C. Lin, H.W. Chang, **W.C. Chang\***, A.R. Yan  
**J. Magn. and Magn. Mater.**, 326 (2013) 108
202. “Comparison on the magnetic properties, phase evolution and microstructure of directly quenched Pr–Fe–Ti–B-based ribbons and rods”  
 H.W. Chang , T.H. Hsiao, Y.T. Cheng, C.W. Shih, C.C. Hsieh, **W.C. Chang\***  
**J. All. Comp.** 551 (2013) 694
203. “Microstructure, martensitic transitions, magnetocaloric and exchange bias properties in Fe-doped Ni-Mn-Sn melt-spun ribbons”  
 X. G. Zhao, M.Tong, C. W. Shih, B. Li, **W. C. Chang\***, W. Liu and Z. D. Zhang  
**J. Appl. Phys.** 113 (2013) 17A913
204. “A study on the phase evolution and magnetic properties of  $\text{Nd}_{9.5-1.5x}\text{Fe}_{\text{bal.}}\text{Ti}_{2.5}\text{Zr}_{0.5}\text{B}_{15+2x}$  ( $x=0-4$ ) bulk magnets”  
 H.W. Chang, T.H. Hsiao, C.C. Hsieh, C.W. Shih, **W.C. Chang\*** and C. C. Shaw  
**IEEE Trans. Magn.** 49 (2013) 3364
205. “The phase evaluation, magnetic and exchange bias properties in  $\text{Fe}_{50}\text{Mn}_{24+x}\text{Ga}_{26-x}$  ( $x = 0-3$ ) melt-spun ribbons”  
 C. W. Shih, X. G. Zhao, H. W. Chang, **W. C. Chang\*** and Z. D. Zhang  
**J. Alloy. Comp.** 570 (2013) 14
206. “Effects of magnetic solidification on rod shaped Nd–Fe–Ti–Zr–Cr–B–C magnets with

various diameters”

C. Wang, W. C. Lin, C. C. Hsieh, **W. C. Chang\***, H. W. Chang and A. C. Sun

**Mater. Tech. 28 (2013) 290**

207. “Magnetic properties enhancement of melt spun CoZrB ribbons by elemental substitutions”

H.W.Chang , C.F.Tsai, C.C.Hsieh, C.W.Shih, **W.C.Chang\***, C.C.Shaw

**J. Magn. and Magn. Mater., 346 (2013) 74**

208. “Effect of a Carbon Additive on the TbCu<sub>7</sub>-type Melt-spun Sm(Co, M)<sub>7</sub>

(M=Ti, Zr, Hf, V and Ge) Ribbons”

Chih-Chieh Hsieh, Shih-Teng Huang, Jin-Sheng Guo, Chih-Wei Shih and **Wen-Cheng**

**Chang\***

**J. Kor. Phys. Soc. 63 (2013) 401**

209. “Magnetic properties and microstructure of directly quenched R-Fe-Ti-Zr-Cr-B-C bulk magnets (R=Nd, Pr, and Mischmetals”

H.W. Chang, J.Y. Gan, C.C. Hsieh, and **W.C. Chang\*** and C.C. Shaw

**IEEE Trans. Magn. 50 (2014) 2100904**

210. “Magnetocaloric effect of melt-spun Fe-Ni-Mn-Ga ribbons”

C.W. Shih, X. G. Zhao, H.W. Chang, Y. C. Tseng and **W.C. Chang\***

**IEEE Trans. Magn. 50 (2014)2501004**

211. “Martensitic Transitions and Magnetocaloric Properties in Ni Mn In Ge Ribbons”

Xinguo Zhao , Xingkun Ning , Chih-Wei Shih , MinTong , **Wen-Cheng Chang\***, WeiLiu ,  
and Zhidong Zhang

**IEEE Trans. Magn. 50 (2014) 2500404**

212. “Exchange Bias Effect and Magnetic Properties in La Sr MnO –NiO Nanocomposite Films”

Xingkun Ning , Zhan JieWang , Xinguo Zhao , Chih-wei Shih , **Wen-cheng Chang**, and  
Zhidong Zhang

**IEEE Trans. Magn. 50 (2014)1000304**

213. “Effect of magnetic field on the structure and magnetic properties of pulse-laser-deposited FePt films”

H.W. Chang\*, F.T. Yuan, C.W. Yuan, C.H. Yu, C.R. Wang, **W.C. Chang**

**J. All. Comp. 584 (2014) 148**

214. “Improved perpendicular magnetic anisotropy of Pr–Fe–B films with Ta underlayer”

Chuan-Fa Huang, An-Cheng Sun, H.W. Chang, Fe-Te Yuan, S.T. Chang , **W.C. Chang**

**J. All. Comp. 584 (2014) 185**

215. "Optimization of high frequency characteristics in Co-Ta thin films"  
H. W. Chang, L. C. Chuang, C. W. Shih, **W. C. Chang**\* and D. S. Xue  
**J. Appl. Phys. 115 (2014) 17A312**
216. "Magnetic behaviors in melt spun  $\text{Fe}_{52-x}\text{Mn}_{23+x}\text{Ga}_{25}$  ( $x = 0-3$ ) ribbons"  
C. W. Shih, X. G. Zhao, H. W. Chang, Y. I. Lee, S. C. Ma and **W. C. Chang**\*  
**J. Appl. Phys. 115 (2014) 17D705**
217. "Effect of diamagnetic barium substitution on magnetic and photovoltaic properties in multiferroic  $\text{BiFeO}_3$ "  
C.-M. Hung, C. S. Tu, Z.-R. Xu, L.-Y. Chang, V. H. Schmidt, R. R. Chien, and **W. C. Chang**  
**J. Appl. Phys. 115 (2014) 17D901**
218. "A study on the magnetic properties of melt spun Co-Hf-Zr-B nanocomposite ribbons"  
H. W. Chang, Y. H. Lin, C. W. Shih, **W. C. Chang**\*, and C. C. Shaw  
**J. Appl. Phys. 115 (2014) 17A724**
219. "Perpendicular magnetic anisotropic Pr-Fe-B thin films on glass substrates"  
Chuan-Fa Huang, An-Cheng Sun, H. W. Chang, Fe-Te Yuan, S. T. Chang, Jui-Kuo Mei, S. N. Hsiao, H. Y. Lee, Hsi-Chuan Lu, Sea-Fue Wang, and **W. C. Chang**  
**J. Appl. Phys. 115 (2014) 17A726**
220. "Effect of Hf underlayer on structure and magnetic properties of rapid thermal annealed FePt thin films"  
C. Y. Shen, F. T. Yuan, H. W. Chang, M. C. Lin, C. C. Su, S. T. Chang, C. R. Wang, J. K. Mei, S. N. Hsiao, C. C. Chen, C. W. Shih, **W. C. Chang**  
**J. Magn. Magn. Mater., 358-359 (2014) 153**
221. "Magnetic Property Enhancement of FePt Films by Zr Underlayering"  
C. Y. Shen, H. W. Chang, F. T. Yuan, M. C. Lin, C. C. Su, C. R. Wang, J. K. Mei, C. C. Chen, and **W. C. Chang**  
**IEEE Trans. Magn. 50(2014) 2101104**
222. "Phase evaluation, magnetic, and electric properties of  $\text{Mn}_{60+x}\text{Ga}_{40-x}$  ( $x = 0-15$ ) ribbons"  
J. N. Feng, X. G. Zhao, X. K. Ning, C. W. Shih, **W. C. Chang**, S. Ma, W. Liu, and Z. D. Zhang  
**J. Appl. Phys. 115 (2014) 17A750**
223. "Magnetosstructural transformation and magnetocaloric effect in melt-spun and annealed  $\text{Mn}_{1-x}\text{Cu}_x\text{CoGe}$  ribbons"  
S. C. Ma, D. Hou, C. W. Shih, J. F. Wang, Y. I. Lee, **W. C. Chang**\*, Z. C. Zhong\*  
**J. Alloys and Comp. 610 (2014) 15**
224. "Microstructure and magnetic properties in melt-spun  $\text{MnV}_{0.02}\text{CoGe}_{0.99}$  ribbons"

S.C. Ma, Y. H. Liu, C.W. Shih, Y.I. Lee, **W.C. Chang**

**J. Magn. Magn. Mater. 357 (2014) 41**

225. “Energy product enhancement of FePt films by underlayering with Ti, Zr, and Hf”

• C.Y. Shen, H.W. Chang, F.T. Yuan, M.C. Lin, C.C. Su, H.H. Yeh, M.F. Huang,

• C.R. Wang, C.W. Shih, **W.C. Chang**

**App. Surf. Sci. 313 (2014) 755**

226. “Hard magnetic property enhancement of Co<sub>7</sub>Hf-based ribbons by boron doping”

H. W. Chang, M. C. Liao, C. W. Shih, **W. C. Chang\***, C. C. Yang, C. H. Hsiao, and H. Ouyang

**Appl. Phys. Lett. 105 (2014) 192404**

227. “Magnetic Phase Transition and Magnetocaloric Effect in Co-Doped Mn-Ni-Ge Melt-Spun Ribbons”

Xinguo Zhao, Min Tong, Chih Wei Shih, **Wen Cheng Chang**, Wei Liu, and Zhidong Zhang

**IEEE Trans. Magn. 50 (2014) 2504904**

228. “Origins of the significant improvement in nanocrystalline Samarium-Cobalt's magnetic properties when doping with Niobium”

Li, Tzu-Yuan, Chiou, S. H, Chang, H. W, Lo, S. C, Hsieh, C. C, **Chang. W. C**, Van Lierop, J, Hsiao, C. H, Hsu, Y. W, Ouyang, H\*

**J. All. Comp. 622 (2015) 262**

229. “Optimization of permanent magnetic properties in melt spun Co<sub>82-x</sub>Hf<sub>12+x</sub>B<sub>6</sub> (x=0–4) nanocomposites

H. W. Chang M. C. Liao, C. W. Shih, **W. C. Chang\***, and C. C. Shaw

**J. Appl. Phys. 117 (2015)17A717**

230. “Wheel speed-dependent martensitic transformation and magnetocaloric effect in Ni–Co–Mn–Sn ferromagnetic shape memory alloy ribbons”

S.C. Ma, C.W. Shih, J. Liu, J.H. Yuana S.Y. Lee, Y.I. Lee, H.W. Chang and **W.C. Chang\***

**Acta. Materialia. 90 (2015) 292**

231. “Effect of the external field on the soft magnetic properties and microstructure of directly cast Fe<sub>75</sub>P<sub>8.7</sub>B<sub>5</sub>C<sub>7</sub>Si<sub>4.3</sub> nanocrystalline sheets”

C. W. Shih, Y. Y. Lin, H. W. Chang, Y. I. Lee, **W. C. Chang\***, C. C. Yang.

**J. Appl. Phys. 117, (2015) 17B736**

232. “Effect of Ba substitution on the multiferroic properties of BiFeO<sub>3</sub> films on glass

substrates”

H. W. Chang, F. T. Yuan, K. T. Tu, Y. C. Lo, S. Y. Tu, C. R. Wang, A. B. Yang, C. S. Tu, S. U. Jen, and **W. C. Chang**

**J. Appl. Phys. 117, (2015) 17C734**

233. “Inhomogeneity on texture, microstructure and magnetic properties of hot deformed  $R_2Fe_{14}B$ -typed magnet”

Y. I. Lee, C. W. Shih, **W. C. Chang\***, H. W. Chang and Y. J. Chen

**Int. J. Mod. Phys. B, 29, (2015) 1540007**

234. “Multiferroic properties of (Bi, Ca)FeO<sub>3</sub> films on glass substrates”

H.W. Chang\*, C.Y. Shenb, F.T. Yuan, K.T. Tu, Y.C. Lo, S.Y. Tu, C.R. Wang, C.S. Tu, H. Ouyang, C.W. Shih, **W.C. Chang**, S.U. Jeng

**Appl. Surf. Sci. 355(2015)121-126**

235. “Magnetic property improvement of sputter-prepared FePd films on glass substrates with W underlayer”

H.W. Chang\*, F.T. Yuan, W.C. Chen, D.H. Wei, M.C. Lin, C.R. Wang, C.W. Shih, **W.C. Chang**

**J. Alloy Comp. 622 (2015) 1013-1017**

236. “Martensitic Transitions and Magnetocaloric Properties in  $Mn_{49-x}Co_xNi_{41}Sn_{10}$  (x = 0–4) Ribbons”

C. W. Shih, J. H. Yuan, S. C. Ma, H. W. Chang, and **W. C. Chang\***

**IEEE Trans. Magn. Magn. 51 (2015) 2504404**

237. “Hard Magnetic Property Improvement of Sputter-Prepared FePd Films on Glass Substrates by Underlayering With Refractory Nb, Mo, and W Elements”

H. W. Chang, F. T. Yuan, W. C. Chen, D. H. Wei, M. C. Lin, C. C. Su, C. R. Wang, C. W. Shih, **W. C. Chang**, and Y. D. Yao

**IEEE Trans. Magn. Magn. 51 (2015) 2102904**

238. “Magnetic properties improvement of melt spun  $Co_{86.5}Hf_{11.5}B_2$  nanocomposites by refractory elements substitution”

H.W. Chang , Y.H. Lin, C.W. Shih, M.C. Liao, Y.I. Lee, **W.C. Chang\*** , C.C. Yang, C.C. Shaw

**J. Magn. Magn. Mater., 401 (2016) 1139**

239. “Phase structure and magnetic properties of  $Mn_{70}Ga_{30-x}Sn_x$  ( $x=5-30$ ) alloy ribbons”  
Xinguo Zhao, Min Tong, Chih Wei Shih, **Wen Cheng Chang**, Wei Liu and Zhidong Zhang  
**IEEE Trans Magn. Magn. 52 (2016) 9500104**
240. “Structure and magnetic properties of 300-nm-thick FePt films with Hf underlayer”  
Shen, C. Y, Chang, H. W\*; Yuan, F. T, Su, C. C., Wang, Y. W, Fan, C. L, Wang, C. R, Shih, C. W, **Chang. W. C.**  
**J. of Phys. and Chem. of Solids. 98 (2016) 143**
241. “Optimization of the magnetic properties of hot deformed NdFeB magnets”  
Y. I. Lee, G. Y. Huang, S. T. Chang, C. W. Shih, **W. C. Chang\***, H. W. Chang and Y. J. Chen. **IEEE Magnetics Letter.8 (2017) 5500204**
242. “Coercivity enhancement in hot deformed  $Nd_2Fe_{14}B$ -type magnets by doping low-melting RCu alloys ( $R = Nd, Dy, Nd + Dy$ )”  
Y.I. Lee, G.Y. Huang, C.W. Shih, **W.C. Chang\***, H.W. Chang, J.S. You  
**J. Magn. Magn. Mater., 439 (2017) 1-5**
243. “Comparison on the coercivity enhancement of hot deformed  $Nd_2Fe_{14}B$ -type magnets by doping  $R_{70}Cu_{30}$  ( $R=Nd, Dy$  and  $Tb$ ) alloy powders”  
Y.I. Lee, H.W. Chang, G.Y. Huang, C.W. Shih and **W.C. Chang\***  
**IEEE Trans. Mag. 53 (2017) 2100704**
244. “Magnetic property enhancement of melt spun  $YCo_5$  ribbons by Fe and C doping”  
H.W. Chang, W.C. Ou, Y.I. Lee, C.W. Shih, **W.C. Chang\***, C.C. Yang, and C. C. Shaw  
**IEEE Trans. Mag. 53 (2017) 2100504**
245. “Modelling of the material flow of Nd-Fe-B magnets under high temperature deformation via finite element simulation method”  
Yen-Ju Chen, Yen-I Lee, **Wen-Cheng Chang\***, Po-Jen Hsiao, Jr-Shian You, Chun-Chieh Wang & Chia-Min Wei  
**Sci. & Tech Adv. Materials. 18 (2017) 611**
246. “Effects of Pt Buffer Layer and Sr Content on Multiferroic  $(Bi, Sr)FeO_3$  polycrystalline Thin Films on Glass Substrates”  
H. W. Chang, C. Y. Shen, F. T. Yuan, Y. C. Lo, S. Y. Lin, C. F. Chang, C. R. Wang, C. S. Tu, S. U. Jen, and **W. C. Chang**  
IEEE Trans. Magn. 53 (2017) 2501704
247. “Significant coercivity enhancement of hot deformed NdFeB magnets by doping

- Ce-containing (PrNdCe)<sub>70</sub>Cu<sub>30</sub> alloys powders” H.W. Chang, Y.I. Lee, P.H. Liao, **W. C. Chang\***. **Scripta Materialia**. **146 (2018) 222**
248. “Magnetic properties and microstructure of melt spun YCo<sub>5-x</sub>M<sub>x</sub> ribbons (M= C and Sn; x=0-0.3)”  
H.W. Chang \*, W.C. Ou, Y.I. Lee, C.W. Shih, **W.C. Chang\***, C.C. Yang, C.C. Shaw  
**J. Alloy. Comp.** **747 (2018)236**
249. “Overview of the Ways for Enhancing the Coercivity of Hot-Deformed Nd<sub>2</sub>Fe<sub>14</sub>B-Type Magnets” Y. I. Lee , B. S. Liao, Y. J. Wong, H. W. Chang, **W. C. Chang\***, and C. C. Shaw  
**IEEE Trans. Magn.** **54, 6 (2018) 2100605**
250. “Hard Magnetic Property Improvement of Melt-Spun PrCo<sub>5</sub> Ribbons by Fe and C Doping”  
H. W. Chang<sup>1</sup>, H. Y. Wang, Y. I. Lee , C. W. Shih, **W. C. Chang\***, C. C. Yang , and C. C. Shaw  
**IEEE Trans. Magn.** **54, 11 (2018) 2100605**
- 251.” Coercivity enhancement of hot-deformed NdFeB magnets by doping R<sub>80</sub>Ga<sub>20</sub> (R=Pr, Dy, Tb) alloys”  
Y.I. Lee, Y.J. Wong, H.W. Chang and **W.C. Chang\***  
**J. Magn. Magn. Mater.** **478 (2019) 43**
252. “Comparison on the structure and exchange bias in Co/MnPt and MnPt/Co polycrystalline films on glass substrates”  
Chang, H. W, Yuan, F. T, Yeh, P. Y. Chen, Y. C, Lai, Y. L, Pan, P. H, Wang, C. R, Horng, Lance, **Chang, W. C.**  
**AIP Advances** **9 (2019) 035330**
253. “Phase modification and magnetic energy product enhancement of PrCo<sub>5</sub>-based nanomaterials due to carbon addition”  
**H.W. Chang\***, H.Y. Wang, Y.I. Lee, Y.M. Guo, **W.C. Chang\***, C.C. Shaw  
**J. Physics and Chemistry of Solids.** **136 (2020) 109197**